

- Abboud M., S.Lakkis & R.Zeidane, 1981. Conditions hydrologiques et plancton dans le secteur.
Rapp. Comm. Int. mer Medit.,27(7),115-116.
- Abboud-Abi Saab, M., 1985. Contribution to the knowledge of microplanktonic populations in the Lebanese coastal waters. *Aix-Marseille-2 Univ.MARSEILLE-2*.
- Abboud-Abi Saab, M., 1988. Quantitative and qualitative study on the actinopods (Actinopoda) of the coastal waters of the Lebanon (eastern Mediterranean). *Ann. Inst. Oceanogr.*, 64: 65-78.
- Abboud-Abi Saab M., 1989. Distribution and ecology of tintinnids in the plankton of Lebanese coastal waters (Eastern Mediterranean). *J. Plankton Res.*, 11(2): 203-222.
- Abdel-Moati M.A.R., A.N.Khalil, N.M.Nour El-Din & M.Atta, 1993. Carbon, nitrogen and phosphorus content of the copepod *Euterpina acutifrons* in the coastal water of Alexandria, *Egypt Bull nat. inst. Ocean. & fish. A.R.E.*,19,173-190.
- Abdel-Moati M.A.R., A.N.Khalil, N.M.Nour El-Din & M.Atta, 1995. Assessment of pollution impact on the metabolic activities of the copepod *Euterpina acutifrons* from the coastal waters of Alexandria. *Fresenius envir. Bull.*,4,285-290
- Abdel-Moati M.A.R.,A.N.Khalil,N.M.Nour El-Din & M.Atta, 1994. Biochemical composition of the copepod *Euterpina acutifrons* from the coastal waters of Alexandria Qatar.*Univ.Sci.J.*,14(2), 395-404.
- Anagnostou Ch., Kaberi E. Karageorgis A., Kontogiannis H., Krasakopoulou E., Pagou K., Pavlidou A. & S. Stavrakakis, 1998. Matter transfer in a land-shelf-basin system: NW Aegean Area - Mediterranean Sea. In: *Proc., Int. Workshop on Environmental Biogeochemistry*, Jawaharlal Nehru University, New Delhi, December 13-18, 1998, pp.347-367.
- Anagnostou, Ch., Garbe-Schoenberg, D., Kaberi, H., Karageorgis, A., Krasakopoulou, E., Marty, D., Pagou, K., Pavlidou, A. & S. Stavrakakis, 2001. Matter transfer in the coastal system of the Thermaikos Gulf (NW Aegean Sea) and its importance for the functioning of the Mediterranean Sea. In: *Proc., INTERREG Meeting (N. Aegean System Functioning and Inter-Regional Pollution)*, Kavala, Greece, 28-30 May 2001, p.20.
- Anderson, T.R. & C.M. Turley, 2003. Low bacterial growth efficiency in the oligotrophic eastern Mediterranean Sea: a modelling analysis. *J. Plankton Res.*, Vol. 25, 255: 1011-1019.
- Andreoli C., V.Ferlito, C.Geraci, L.Guglielmo, G.Magazzu, G.Nicoletti & G.Zerbo, 1986-1987. Ciclo annuale di ossrvazioni chimico-fisiche e biologiche in un ambiente costiero eutrofizzato (Rada di Augusta) *Memorie di biologia marina e di oceanografia*,16,49-77.
- Angel D.L., Katz T., Eden N., Black K.D, Malej A., Tsapakis M., Pitta P., Turk V., Cook E.J., Sayer M., Spanier E., Lojen S. & K. Collins, 2005. Diurnal dynamics in water quality and plankton around a net pen fish farm in the Red Sea. In: *Proc., ASLO Aquatic Sciences Meeting (A Pilgrimage Through Global Aquatic Sciences)*, June 19-24, 2005, Santiago de Compostela, Spain.
- Anonymous, 1990. About Lessepsian migrations. *Institut Oceanographique. Bulletin.* 19
- Anonymous, 2001. Phytoplankton, chlorophyll a in the eastern region of Libya. *MEDCOAST 01 : Proc., 5th Int. Conf. on the Mediterranean Coastal Environment*, Hammamet, Tunisia 2: 923-931.
- Arndt, H., K. Hausmann & M. Wolf, 2003. Deep-sea heterotrophic nanoflagellates of the Eastern Mediterranean Sea: Qualitative and quantitative aspects of their pelagic and benthic occurrence. *Mar. Ecol. Prog. Ser.*. Vol. 256, 2566: 45-56.
- Asimakopoulou, G., K. Pagou, M. Reckermann & F. Colijn, 2003. Estimation of protosynthetic picoplankton contribution to phytoplankton populations by flow cytometry in the North Aegean Sea (Eastern Mediterranean). In: *7th Hellenic Symposium on Oceanography and Fisheries*, Chersonissos, Greece, 6-9 May 2003, pp. 94-95.
- Assimakopoulou, G., Pagou, K., Hadzianestis, I. & Sklivagou, E., 2001. Phytoplankton composition in the North Aegean Sea determined from HPLC-analysed pigments (February 1999). In: *Proc., INTERREG Meeting (N. Aegean System Functioning and Inter-Regional*

- Pollution)*, Kavala, Greece, 28-30 May 2001, p.40.
- Athanassopoulos G., 1928. Especies planctoniques de la baie du Phalere. *Bulletin de la commission thalassographique Hellenique*, 1,5 et 34-39.
- Azov, Y., 1986. Seasonal patterns of phytoplankton productivity and abundance in nearshore oligotrophic waters of the Levant Basin (Mediterranean). *J. Plankton Res.*, Vol. 8, 88: 41-53.
- Bacescu, M. & Mayer, R. 1961. Malacostraces(Malacostraces, Euphausiacea, Decapoda, Stomatopoda) du plancton diurne de la Mediter-ranee. Etude basee sur le materiel du Lamont Geological Observa-tory. Washington. *Rapp. Comm. int. Mer. Medit.*, 16(2): 182-202.
- Balkis, N. & T. Koray, 2001. About the presence of genus *Pyrophacus* Stein, 1883 with special emphasis on *Pyrophacus vancampoae* (Rossignol) Wall and Dale (Dinophyceae) in eastern Mediterranean. *Su urunleri dergisi/Journal of fisheries and aquatic sciences* Vol. 18, 188: 541-545.
- Balopoulos, E.Th., Tselepides, A., Price, B., Theocharis, A., Varnavas, S., Danovaro, R., Ignatiades, L., Duineveld, G., Souvermezoglou, A., Kontogiannis, H., Wassman, P., Chronis, G., Voutsinou, F., Collins, M.B., Gotsi, O., Bett, B., Iona, A., Psarra, S., Stavrakakis, S., 1997. Progress in Oceanography of the Aegean Sea. In: *Int. Conf.: Progress in Oceanography of the Mediterranean Sea*, Rome, 17-19/11/97, pp. 13-16.
- Ban S., Burns C., Castel J., Chaudron Y., Christou E., Escribano R., Umani S.F., Gasparini S., Ruiz F.G., Hoffmeyer M., Ianora A., Kang H.K., Laabir M., Lacoste A., Miraldo A., Ning X., Poulet S., Rodriguez V., Runge J., Shi J., Starr M., Uye S. & Wang Y., 1997. The paradox of diatom-copepod interactions. *Mar. Ecol. Prog. Ser.*, 157:287-293.
- Baranovic A., M.Solic,T.Vucetic & N.Krstulovic, 1993. Temporal fluctuation of zooplankton and bacteria in the middle Adriatic sea. *Mar. Ecol. Prog. Ser.*, 92:65-75.
- Basim A., 198. Living organism effecting the visibility and light factor in Istanbul Bogazi Journal of aquatic products university of Istanbul, 1(1), 70-76.
- Becacos-Kontos, T. & N. Friligos , 1974. Nutrient variations in Saronicos Gulf. *Rapp. P. -V. Reun. Comm. Int. Explor. Sci. Mer. Mediterr.*, 22: 111.
- Becacos-Kontos, T. & R.C. Dugdale, 1971. Pollution in Greek waters. *Mar. Pollut. Bull.*, 2: 158-160.
- Becacos-Kontos, T., 1968. The annual cycle of primary production in the Saronicos Gulf (Aegean Sea) for the period November 1963-October 1964. *Limnol. Oceanogr.*, 8: 485-489.
- Becacos-Kontos, T., 1973. Primary production investigations in the Saronicos Gulf, 1965-1967. *Rapp. P. -V. Reun. Comm. Int. Explor. Sci. Mer. Mediterr.*, 21: 325-329.
- Becacos-Kontos, T., 1977. A study on the distribution of primary production in Saronicos Gulf. *Rapp. P. -V. Reun. Comm. Int. Explor. Sci. Mer. Mediterr.*, 24: 49-52.
- Becacos-Kontos, T., 1977. Primary production and environmental factors in an oligotrophic biome in the Aegean Sea. *Mar. Biol.*, 42: 93-98.
- Belmonte G. Adattamenti dei calanoidi (Crustacea,copepods) alle acque salmastre costiere Aspetti ecologici e naturalistici dei sistemi lagunari e costieri, 285-288.
- Belmonte G. & A.Cavallo, 1997. Body size and its variability in the copepod *Acartia margalefi* (Calanoida) from Lake Acquatina (SE Italy), *Ital.j.zool.*,64,377-382
- Belmonte G., 1988. Lo zooplankton del bacino di Acquatina frigole-lecce prime osservazioni Thalassia salentina, 18, 141-152
- Belmonte G., 1992. Diapause egg production in *Acartia* (*Paracartia*) *latisetosa* (Crustacea, Copepoda,Calanoida.) *Biol.Zool.*,59,363-366
- Belmonte G., M.G.Mazzocchi, I.Y.Prusova & N.V.Shardin, 1994. *Acartia tonsa*:a species new for the Black Sea fauna. *Hydrobiologia*,292/293,9-15
- Belmonte G., M.Puce, 1994. Morphological aspects of subitaneous and resting eggs from *Acartia josephinae* (Calanoida). *Hydrobiologia*, 292/293,131-135.
- Belmonte G., P.Castello, M.R.Piccinni, S.Quarta, F.Rubino, S.Geraci & F.Boero, 1995. Resting stages in marine sediments off the Italian coast. Biology and ecology of shallow coastal waters

- ,53-58.
- Belmonte G.,1992. Zooplankton structure and distribution in a brackish-water basin *Oebalia*,18,1-15
- Belmonte G.,G.Benassi & L.Ferrari, 1989. L'associazione di quattro specie di *Acartia* nel lago di Acquatina (Baso Adriatico). *Oebalia*,15(1),519-522
- Belviso, S., A. Sciandra & C. Copin-Montegut, 2003. Mesoscale features of surface water DMSP and DMS concentrations in the Atlantic Ocean off Morocco and in the Mediterranean Sea. *Deep-Sea Res. (Part I)*, 50: 543-555.
- Benli, H.A., A.N. Tarkan & T.M. Sever, 2001. Comparison of the mesozooplankton composition in the southwestern Black Sea, Sea of Marmara and Eastern Aegean Sea. *Turk. J. Marine Sci.*, 7: 163-179.
- Benovi, A. & Bender, A., 1987. Seasonal distribution of medusae in the Adriatic Sea. In: Bouillon, J., Boero, F., Cicogna, F. & Cornelius, P. F. S. (Eds.), *Modern Trends in the Systematics, Ecology and Evolution of Hydroids and Hydromedusae*. Oxford University Press, Oxford, pp. 117-131.
- Benovi, A. and Bender, A. (1986) Medusae from the open waters of the Adriatic Sea. *Stud. Mar.*, **17-18**, 55-74.
- Benovic A., 1973. Idromeduse dell'Adriatico settentrionale nell'Anno 1965. *Boll.Pesca Piscic.Idrobiol.*, 28 (1),59-70.
- Benovic, A. & Lucic, D., 1995. Appearance of hydromedusae in the northern Adriatic Sea in 1992 and 1993. *Rapp. Comm. Int. Mer Med.*, **34**, 203.
- Benovic, A. & Lucic, D., 1996. Comparison of hydromedusae findings in the northern and southern Adriatic Sea. *Sci. Mar.*, **60**, 129-135.
- Benovic, A. and Lucic, D., 2003. How to use biological time series in Mediterranean ecosystem studies: Can be hydromedusa indicator species? *CIESM Workshop Ser.*, **22**, 73-76.
- Benovic, A., 1991. The aspect of jellyfish distribution in the Adriatic Sea. In: Workshop on jellyfish blooms in the Mediterranean, *MAP Tech.Rep.Ser.*, 47, 41-50. UNEP, Athens.
- Benovic, A., Justic, D. & Bender, A., 1987. Enigmatic changes in the hydromedusan fauna of the northern Adriatic Sea. *Nature*, **613**, 597-600.
- Benovic, A., Lucic, D. & Onofri, V., 2000. Does change in an Adriatic hydromedusan fauna indicate an early phase of marine ecosystem destruction? *P.S.Z.N.I.: Mar. Ecol.*, **21**, 221-231.
- Benzhitiskij, A.G., N.E. Lapushkin & Z.P. Burlakova, 1987. Distribution of adenosine triphosphate of microplankton in the Mediterranean Sea. *Ehkologiya morya. Kiev. no.* 25, 17-21.
- Berdar A. & G.Cavallaro, 1980. Celenterati,ctenofori e tunicati spiaggiati lungo la costa siciliana dello stretto di Messina. *Mem.biol.mar.ocean.*10(1),19-26.
- Berdugo V. & B.Kimor, 1968. Considerations on the distribution of pelagic copepods in the eastern Mediterranean. *Rapp.Comm.int.mer Medit.*,19(3),4474-448.
- Berdugo V.1968 Sur la presence dans la Mediterranee orientale de deux especes du genre Calanopia (Copepoda, Calanoida). *Rapp.Comm.int.mer Medit.*,19(3),445-446.
- Berland, B.R., Benzhitski, A.G., Burlakova, Z.P., Georgieva, L.V. Izmestieva, M.A., Kholodov, V.I. & Maestrini, S.Y., 1988. Conditions hydrologiques estivales en Mediterranee, repartition du phytoplankton et de la matiere organique, *Oceanologica Acta No. SP*, 163-177.
- Berland, B.R., S.Y. Maestrini, Z.P. Burlakova, L. Georgieva, V.Y. Kholodov & D.K. Krupatkina, 1990. Nutrient limitation of algal growth in ultra-oligotrophic waters of the Astern Mediterranean Sea. *Memorie di Biologia Marina e di Oceanografia [MEM. BIOL. MAR. OCEANOGR. J. Vol. 18*, 188: 5-28.
- Berland, B.R., Z.P. Burlakova, L.V. Georgieva, M. Izmestieva, V.I. Kholodov, D.K. Krupatkina, S.Y. Maestrini & V.E. Zaika, 1987. Summer phytoplankton in the Levant Sea, biomass and limiting factors. *I F R E M E R Centre de Brest. Actes de Colloques.* 19.
- Berlyan, B.R., Z.P. Burlakova, L.V. Georgieva, M.A. Izmest'eva, V.I. Kholodov, S.I. Maistrini &

- V.E. Zaika, 1989. Summer phytoplankton in the Eastern Mediterranean Sea: Biomass and limiting factors. *Ehkologiya morya*. Kiev. no. 3327-40.
- Berman, T., Townsend, D.W., El Sayed, S.Z., Trees, C.C. & Azov, Y., 1984. Optical transparency, chlorophyll and primary productivity in the Eastern Mediterranean near the Israeli coast, *Oceanologica Acta* 7, 367-372.
- Bernard M., 1967. Recent advances in research on the zooplankton of the Mediterranean sea *Oceanogr. Mar. Biol. Ann. Rev.*, 5, 231-255
- Bernard, F., 1961. Problemes de fertilite elementaire en Mediterranee, de 0 a 3000 metres de profondeur. Campagne de la Calypso. *Ann. Inst.Ocean.*, 39(5).
- Besiktepe, S. & M. Telli, 2004. Egg production and growth rates of *Calanus euxinus* (Copepoda) in the Black Sea. *J. Plankton Res.*, 26:571-578.
- Besiktepe, S. & Unsal, M., 2000. Population structure, vertical distribution and diel migration of *Sagitta setosa* (Chaetognatha) in the south-western part of the Black Sea. *J. Plankton Res.*, 22, 669-683.
- Besiktepe, S. 2001. Diel vertical distribution, and herbivory of copepods in the south-western part of the Black Sea. *J. Mar. Syst.*, 28(3-4), 281-301.
- Besiktepe, S., K.W. Tang, M. Vial & R. Simo, 2004. Dimethylated sulfur compounds in seawater, seston and mesozooplankton in the seas around Turkey. *Deep-Sea Res. Part I.*, 51: 1179-1197.
- Besiktepe, S., Kideys, A.E. & Unsal, M., 1998. *In situ* grazing pressure and diel vertical migration of female *Calanus euxinus* in the Black Sea. *Hydrobiologia*, 363, 323-332.
- Besiktepe, S.T., Sur, H.I., Ozsoy, E., Latif, M.A., Oguz, T., Unluata, U., 1994. The circulation and hydrography of the Marmara Sea. *Prog. Oceanogr.* 34(4), 285–334.
- Bethoux, J.P., P. Morin & D.P. Ruiz-Pino, 2002. Temporal trends in nutrient ratios: chemical evidence of Mediterranean ecosystem changes driven by human activity. *Deep-Sea Res. (Part II)*, 49: 2007-2016.
- Bianchi, M., Turley, C., Van Wambeke, F., Stutt, E., Christaki, U., Psarra, S. & P. Conan, 1996. A first, and preliminary, description of a relationship between the cycling of the primary production by bacteria in the photic zone and the extent of particle flux measured during the MTP pilot phase. *MTP NEWS June 1996*, 4, p.8-10.
- Bianchi, T.S., A. Demetropoulos, M. Hadjichristophorou, M. Argyrou, M. Baskaran & C. Lambert, 1996. Plant pigments as biomarkers of organic matter sources in sediments and coastal waters of Cyprus (eastern Mediterranean). *Estuarine*, 42: 103-115.
- Bigelow, H., B. & Sears, M., 1939. Siphonophorae. *Rep. Dan. Oceanogr.Expedit. Medit. and Adjacent Seas 1908-1910*. II(11).
- Bityukov, E., 1982. Seasonal variability and spatial heterogeneity of bioluminescence in the Mediterranean Sea. *Ehkologiya morya*. Kiev. no. 8: 10-20.
- Blasco, D., 1974. Etude du phytoplancton du Golfe de Petalion (Mer Egee) en Mars 1970. *Rapp. Comm. Int. Mer Medit.* 22, 65-70.
- Bogorov,B.G.,Olevinskii,K. R. & Samoilenko. B.C., 1931. Resultsof the scientific expedition of the ship «F. Litke» from Sevastopol to Bladivostok (in russian). *Biol. Gos. Oceanograph.* In/ta, Vip. 2.
- Bonin, D.J., M.C. Bonin & T. Berman, 1989. Experimental evidence of nutrients limiting the production of micro-nanoplankton and ultraplankton in the coastal waters of the eastern Mediterranean ocean (Haifa, Israel). *Aquatic Sciences*. Vol. 51, 511: 129-152.
- Borgne-David, A.L., 1975. Bacillariophyceae and Dinophyceae of the south-west part of the eastern Mediterranean basin. *Rev. Trav. Inst. Peches Marit.*, 39: 235-247.
- Bosc, E., A. Bricaud & D. Antoine, 2004. Seasonal and interannual variability in algal biomass and primary production in the Mediterranean Sea, as derived from 4 years of SeaWiFS observations. *Global Biogeochem. Cycles*. Vol. 18, 188.
- Bottger-Schnack R.,1994. The microscopepod fauna in the eastern Mediterranean and Adriatic

- Seas: a comparison with the Red sea fauna. *Hydrobiologia*, 292/293, 271-282.
- Bottger-Schnack, R., 1997. Vertical structure of small metazoan plankton, especially non-calanoid copepods. II. Deep Eastern Mediterranean (Levantine Sea), *Oceanologica Acta*, 20(2), 399-419.
- Branica, M., N. Mikac & Z. Kwokal, 1993. Biogeochemical cycle of mercury species in the marine environment. *MAP TECH. REP. SER.*, 19.
- Brian, A., 1927a. Descrizione di un nuovo genere di harpacticoide del Mar Egeo (Nota preliminare). *Boll. Mus. Zool. Anal. Comp.* Genova, 7(9).
- Brian, A., 1927b. Descrizione del maschio di *Hypoacarfa adriatica* Sten-er, copepodo pelagico rinvenuto in abbondanza nel FEgeo (Nota pre-liminare). *Boll. Mus. Zool. Anal. Comp.* Genova, 7(9).
- Brian, A., 1927c. Specie nuove o poco conosciute di copepodi arapticoididel PEgeo, Dodecanese (Nota prelim.). *Boll. Mus. Zool. Anal. Comp.*, Genova, 7(18).
- Carbo P., M. Krom, T. F. Thingstad, G. Fonnes, E. Skjoldal, N. Kress, T. Zohary, B. Herut, C. Law, M. Woodward, F. Mantoura, M. Liddicoat, F. Rassoulzadegan, T. Tanaka, A. Tselepidis, P. Pitta⁶, S. Psarra, T. Polychronaki, P. Drakopoulos, P. Wassmann, C. Risér & G. Zodiatis, 2002. Preliminary results from a Lagrangian phosphate addition experiment in the Eastern Mediterranean. *IMPACTS CLUSTER Meeting, London, May 2002*
- Casanova J.-P. 1973 Penetration du copepode *Euchaeta concinna Dana* en Mediterranee orientale par le canal de Suez. *Rapp. Comm. int. mer Medit.*, 21(8), 513-514.
- Casanova, J.P. & D.C. Judkins, 1977. Pelagic decapods in the Mediterranean. Distribution and faunal sections. *Rapp. P. -V. Reun. P-V.*
- Casanova, B., 1974. Les euphausiaces de Mediterranee (Systematique et developpement larvaire. Biogeographie et Biologie). *Docl. Thesis-es-Sci. Mat.*. Univ. Aix-Marseille ICNRS, A.O. 9446. 380 pp.
- Casotti, R., A. Landolfi, C. Brunet, F. D'Ortenzio, O. Mangoni, M.R. d'Alcala & M. Denis, 2003. Composition and dynamics of the phytoplankton of the Ionian Sea (eastern Mediterranean). *J. Geophys. Res.* Vol. 108, 9.
- Cataletto B., M.Cabrini, S.Fonda Umani, L.Milani & M.C.Pavesi, 1993. Variazioni del contenuto in c della biomassa fito-,microzoo- e mesozoo-plantonica nel golfo di Trieste. *Biologia Marina*, 1, 141-144.
- Cataletto, B., Feoli, E., Fonda-Umani, S. & Cheng-Yong, S., 1995. Eleven years of time-series analysis on the net-zooplankton community in the Gulf of Trieste. *ICES J.Mar.Sci*, 52, 669-678.
- Caulet, J.P. (1974). The Radiolaria of the surface oozes of the Mediterranean. *Bull. Mus. Natl. Hist. Nat.*, 249: 217-287.
- Cavallo A. & G.Belmonte, 1995. Lo zooplankton dello stagno costiero "Le Cesine" (Le) (Maggio 1993 - Agosto 1994). *Thalassia Salentina*, 21, 51-59
- Cebec N. & A.N. Tarkan, 1990. Distribution of zooplankton organisms in Marmara Sea. *Istanbul Univ. J. Aquatic Products*, 4: 59-72.
- Civasco, M.G., P. Picone & N. Della Croce, 1961. Ecology and biology of harbours waters in the Ligurian and north Tyrrhenian Seas. 10. Zooplankton populations (May 1975). *Atti Soc. Ital. Sci. Nat. Mus. Civ. Stor. Nat. Milano*-2.
- Chalkia D. & Pitta P., 2003. Temporal variation and dynamics of pelagic variables in two contrasting coastal ecosystems. *J. Mar. Biol. Ass. U.K.*, 83: 23-25.
- Champalbert, G., 1996. Characteristics of zooplankton standing stock and communities in the western Mediterranean Sea: Relations to hydrology. *Scientia Marina*, Dec.
- Christaki U. & Gotsis-Skretas O., 1990. Contribution to the phytoplankton study in the Ionian Sea (Zakynthos Island). *Rapp. Comm. Int. Mer Medit.*, 32: 203.
- Christaki U. & Gotsis-Skretas O., 1990. Structure of Phytoplankton communities in Rhodia,

- Tsoukalio and Logarou lagoons (Greece). In: *Proc., 3rd Nat. Symposium on Oceanography and Fisheries*, Athens (Greece): 469-478.
- Christaki U. & Pagou K., 1990. Annual variability of diversity index in phytoplankton communities in a coastal area of Saronic Gulf. In: *Proc., 3rd National Symposium on Oceanography and Fisheries*, Athens (Greece), 504-512.
- Christaki U. 1999. Microbial Processes and the Mediterranean : A general introduction to the microbial food web with specific reference to the Mediterranean Ecosystem. *Contribution 14, MAST Advanced Study Course on the Mediterranean Marine System* pp 10.
- Christaki U., Belviso S., Dolan J. & Corn M., 1996. Assessment of the role of copepods and ciliates in the release to solution of particulate DMSP. *Mar. Ecol. Prog. Ser.*, 141:119-127.
- Christaki U., Courties C., Karayanni H., Giannakourou A., Maravelias C., Kormas A.K. & Lebaron P., 2002. Dynamic characteristics of *Prochlorococcus* and *Synechococcus* consumption by bacterivorous nanoflagellates. *Microb. Ecol.*, 43:341-352.
- Christaki U., Courties C., Karayanni H., Giannakourou A., Maravelias C., Kormas Ar. K. & Lebaron P., 2001. *Prochlorococcus* and *Synechococcus* as prey items for nanoflagellates. 9th Int. Symp. on Microbial Ecology ISME-9. Interactions in the Microbial World 26-31 August 2001, Amsterdam, The Netherlands, ISME Amsterdam August, P.16.006 p.282.
- Christaki U., Gaudy R. & Kerambrun P. A, 1998. Study of the Effects of Migratory Zooplankton on Microbial Populations in Surface Waters of the N. W. Mediterranean. *J. Exp. Mar. Biol. Ecol.*, 225:173-183
- Christaki U., Gaudy R., Kerambrun P. & Christou E.D., 1995. Diel mesozooplankton activity in an oligotrophic station of NW Mediterranean: Possible implications on the microbial loop. *Rapp. Comm. Int. Mer Medit.*, 34: 205.
- Christaki U., Giannakourou A., Van Wambeke F. & Gregori G., 2000. Picoplankton and nanoplankton coupling in the euphotic zone of the Mediterranean Sea. *CIESM workshop Series* 11: 25-26.
- Christaki U., Giannakourou A., Van Wambeke F. & Gregori G., 2001. Nanoflagellate predation on auto-and heterotrophic picoplankton in the Oligotrophic Mediterranean Sea. *J. Plankton Res.* 23: 1297-1310.
- Christaki U., Giannakourou A., Van Wambeke F. & Gregori G., 2001. Nanoflagellate predation on auto- and heterotrophic picoplankton in the oligotrophic Mediterranean Sea. *J. Plankton Res.*, 23:1297-1310.
- Christaki U., Kormas Ar. K., Giannakourou A., Assimakopoulou G. & Gotsis-Skretas O., 2003. The structure and function of the planktonic microbial food web during different trophic status in an Aegean Sea coastal system (Pagasetikos Gulf, Aegean Sea). In: *Proc., 7th National Symposium on Oceanography and Fisheries*, May 6-9 2003, Hersonissos, Crete.
- Christaki U., Papathanassiou E., Christou E. & Milona A., 1992. *In situ* toxicity of oil and dispersants on phytoplankton communities. *Rapp. Com. Int. Mer. Medit.*, 33: 170.
- Christaki U., Van Wambeke F. & Bianchi M., 2003. Heterotrophic bacterial growth and substrate utilization in the oligotrophic Eastern Mediterranean (Aegean Sea). *Medit. Mar. Sci.*, 4 : 23-39.
- Christaki U., Van Wambeke F. & Dolan J.R., 1999. Nanoflagellates (Mixotrophs, Heterotrophs & Autotrophs) in the Oligotrophic Eastern Mediterranean: Standing Stocks, Bacterivory and Relationships with Bacterial Production. *Mar. Ecol. Progr. Ser.*, 181: 297-307
- Christaki U., Van Wambeke F. & Giannakourou A., 2000. Phosphorus limitation of bacterial activities in the Mediterranean Sea. Ocean Sciences Meeting AGU-ASLO, Research Across Boundaries, June 5-9, Copenhagen, Denmark, *EOS supplement, Transactions, American Geophysical Society Union*, CS16-p19.
- Christaki U., Van Wambeke F., Bianchi M. & Dolan JR., 1998. Microbial processes in the oligotrophic eastern Mediterranean, relations between heterotrophic bacteria and

- nanoflagellates (heterotrophs and autotrophs). In: *3rd MTP-II Workshop on the Variability of the Mediterranean Sea*, Rhodos, Greece, 15-17 Oct. 1998, p. 147-148.
- Christaki U., Van Wambeke F., Christou E.D., Conan, P. & Gaudy, R., 1996. Food web structure variability in the surface layer, at a fixed station influenced by the North Western Mediterranean Current. *Hydrobiologia*, 321:145-153.
- Christaki U., Van Wambeke F., Dolan J.R. & Bianchi M., 1999. Microbial processes in the oligotrophic eastern Mediterranean (Aegean Sea). Standing stocks, production and activities. In: *Int. Conf. on Oceanography of the eastern Mediterranean and the Black Sea*, 23-26 Feb. 1999, Athens, Greece, p.59.
- Christaki U., Van Wambeke F., Dolan J.R., Bianchi M. & Rassoulzadegan F., 1998. Phagotrophic pigmented flagellates in oligotrophic Eastern Mediterranean. 1998 Ocean Sciences Meeting AGU-ASLO, February 9-13, San Diego, California USA, *EOS supplement, Transactions, American Geophysical Society Union, OS82*.
- Christaki U., Van Wambeke F., Dolan, J.R., Bianchi M. & Rassoulzadegan, F., 1998. Importance of Phagotrophic Pigmented Flagellates (mixotrophs) in the Oligotrophic Eastern Mediterranean, a first approach. *Rapp. Comm. Int. Mer Medit.*, 35: 344-345.
- Christaki U., Van Wambeke F., Pagou K., Gotsis-Skretas O., Asimakopoulou G., Pitta P., Giannakourou A., Siokou-Frangou I., Christou E.D., Zervoudaki T., Gregori G. & Lykoussis V., 2002. Planktonic food web structure and dynamics in the Mediterranean : Longitudinal trends. *8th Symposium on Aquatic Microbial Ecology, SAME-8, Taormina Italy, Oct. 25-30*, p. 26.
- Christaki U., Vázquez-Domínguez E., Courties C., Phillippe Lebaron P., 2001. Grazing impact of different heterotrophic nanoflagellates on eukaryotic (*Ostreococcus tauri*) and prokaryotic picoautotrophs (*Prochlorococcus* and *Synechococcus*). *Environ. Microb.* 7, 1200-1210.
- Christaki U., Wambeke FV & Bianchi M., 2003. Heterotrophic bacterial growth and substrate utilisation in the oligotrophic Eastern Mediterranean. *Medit. Mar. Sci.*, Vol.4, no.1, pp 23-39.
- Christaki, U., E. Papathanassiou, E. Christou & A. Milona, 1992. *In situ* toxicity of oil and dispersants in phytoplankton communities. *Rapp. Comm. int. Mer. Medit.*, 33: 170.
- Christaki, U., Van Wambeke, F . & Dolan, J.R ., 1999. Nanoflagellates (mixotrophs, heterotrophs and autotrophs) in the oligotrophic eastern Mediterranean: Standing stocks, bacterivory and relationships with bacterial production . *Mar. Ecol. Prog. Ser.*. Vol. 181, pp. 297-307.
- Christou E.D, S. Zervoudaki, I. Siokou-Frangou, T.G. Nielsen, M. Maar & K. Tonnesson, 2001. Egg production of copepods across a frontal area in the Aegean. *ELOISE 4th Open Science Meeting - 5-7 September 2001, Rende, Italy*.
- Christou E.D, S. Zervoudaki, I. Siokou-Frangou, T.G. Nielsen & M. Maar, 2002. Egg Production of copepods across a frontal area in an oligotrophic area of Eastern Mediterranean (Aegean Sea). In: *2nd Int. Conf. on Oceanography of the Eastern Mediterranean and Black Sea: Similarities and Differences of two Interconnected Basins*. Ankara, Turkey 14-18 Oct., 2002, p.133.
- Christou E.D. & Siokou-Frangou,I., 1999. Zooplankton communities in the E Mediterranean: An overview of ten year data of the Hellenic and adjacent areas. *8th International Congress on the Zoogeography and Ecology of Greece and adjacent regions* Kavala, Greece, 17-21 May 1999.
- Christou E.D., Assimakopoulou G., Pavlidou A., Pagou K., Simboura N., Siokou-Frangou I. & Zervoudaki S., 2005. Plankton and zoobenthos time-series from the Hellenic coastal waters. MarBEF Workshop on “Long term data set networking”, Helgoland, March 3-4, 2005.
- Christou E.D., 1999. Copepod production in the Aegean Sea, Eastern Mediterranean. 1999. *7th International conference on Copepoda*, Curitiba, 25-31 July 1999.
- Christou E.D., Pagou K., Christianides, S. & E. Papathanassiou, 1995. Spatial and temporal

- variability of plankton communities in a shallow embayment of the Eastern Mediterranean. In: A. Eleftheriou *et al.* (Eds.) *Biology and Ecology of Shallow Coastal Waters*. 28th EMBS Symposium, Olsen & Olsen, Fredensborg, International Symposium Series, p.: 3-10.
- Christou E.D., S. Zervoudaki, T.G. Nielsen, I. Siokou-Frangou, M. Maar & K. Tonnesson, 2002. Egg Production of copepods across a frontal area in the Aegean Sea. *1st scientific conference of EFMS on: "Oceanographic aspects for sustainable Mediterranean"*. Athens, Greece, 27-29 September 2002. Book of abstracts pp22.
- Christou, E.D. & G.C. Verriopoulos, 1993. Analysis of the biological cycle of *Acartia clausi* (Copepoda) in a meso-oligotrophic coastal area of the eastern Mediterranean Sea using time-series analysis. *Mar. Biol.* 115: 643-651.
- Christou, E.D. & G.C. Verriopoulos, 1993. Length, weight and condition factor of *Acartia clausi* (Copepoda) in the eastern Mediterranean. *J. mar. biol. Ass. U.K.* 73: 343-353.
- Christou, E.D. & M. Moraitou-Apostolopoulou, 1995. Metabolism and feeding of mesozooplankton at the eastern Mediterranean (Hellenic coastal waters). *Mar. Ecol. Prog. Ser.* 126: 39-48.
- Christou, E.D. & S. Zervoudaki, 2000. Mesozooplankton coupling with hydrology in the N Aegean, during September 1998. *6th Hellenic Symposium on Oceanography and Fisheries*. Chios Greece May 23-26 2000. p. 221-225.
- Christou, E.D. & Stergiou, K., 1998. Modelling and forecasting the fortnightly cladoceran abundance in the Saronikos Gulf (Aegean Sea). *J. Plankton Res.* 20: 1313-1320.
- Christou, E.D., 1990. Mesozooplankton variability in spring and summer (1989) in a coastal area of the Saronikos Gulf. *3rd Hellenic Symposium on Oceanography and Fisheries*. Athens, Greece May 1990. p. 513-520.
- Christou, E.D., 1992. On the role of mesozooplankton in the regeneration of nutrients in the Saronikos Gulf (Greece). *Rapp. Comm. int. Mer. Medit.*, 33: 248.
- Christou, E.D., 1994. *Acartia* production in the coastal area of the Aegean sea during 1988-1990. ICES Symposium on Zooplankton Production, Plymouth, August 15-19, 1994. Book of abstracts, pp. 39-40.
- Christou, E.D., 1996. Interrannual variability of copepods in a Mediterranean coastal area (Saronikos Gulf, Aegean Sea). 6th International Conference on Copepoda, 29 July-3 August 1996, Oldenburg. Book of abstracts p. 43.
- Christou, E.D., 1998. Interrannual variability of copepods in a Mediterranean coastal area (Saronikos Gulf, Aegean Sea). *J. Mar. Sys.*, 15: 523-532.
- Christou, E.D., G. Mitas & I. Siokou-Frangou, 1997. Short-term variability of mesozooplankton in the S. Euvoikos and SE Saronikos Gulfs (March 1996). *5th Hellenic Symposium on Oceanography and Fisheries*. Kavala Greece April 15-18 1997. p. 27-30.
- Christou, E.D., I. Siokou-Frangou & E. Papathanassiou, 1995. Annual cycle of the cladocerans in the Saronikos Gulf (Hellas). *Rapp. Comm. int. Mer. Medit.* 34: 206.
- Christou, E.D., I. Siokou-Frangou, A. Theocharis & D. Georgopoulos, 1990. Mesozooplankton study in Levantine and Ionian seas in relation to hydrology. In: 3rd Hellenic Symposium on Oceanography and Fisheries. Athens, Greece, May 1990. p. 495-503.
- Christou, E.D., I.Siokou-Frangou & S.Zervoudaki, 1998. Copepod egg and fecal pellet production, gut content in the Aegean sea in September 1997. In: 2nd MATER Wp4 workshop, Heraklio, 26-27 June 1998.
- Christou, E.D., K. Pagou, S. Christianidis & E. Papathanassiou, 1995. Temporal and spatial variability of plankton communities in a shallow embayment of the eastern Mediterranean. In: A. Eleftheriou *et al.* (Eds.) *Biology and ecology of shallow coastal waters*. Olsen & Olsen, Fredensborg, Denmark, 3-10.
- Christou, E.D., Nielsen, T.G., Zervoudaki,S., Siokou-Frangou,I., Maar, M., Stips, A. & Zervakis, V., 2002. Variability of copepod egg production in contrasting environments. In: 2nd GLOBEC

- Open Science Meeting, Qingdao 15-18 October 2002. Book of abstracts, 98.
- Christou, E.D., Nielsen,T.G., Zevoudaki,S., Maar,M., Siokou-Frangou,I., Stips,A., Zervakis,V. & K.Tonnesson, 2001. Egg production of copepods in the Aegean and Skagerrak: How much important is turbulence? In:KEYCOP Final workshop, 6-8 September 2001, Athens.
- Christou, E.D., S. Zervoudaki, I. Siokou-Frangou, T.G. Nielsen, M. Maar & K. Tonnesson, 2001. Egg production and gut content of copepods in the NE Aegean: variability across a frontal area. In: *INTERREG Meeting. (North Aegean system functioning and inter-regional pollution)* Kavala Greece 28-30 May 2001. p. 42.
- Christou, E.D., Siokou, I. & S.Zervoudaki, 1998. Mesozooplankton in the Aegean Sea: biomass, copepod production and grazing. In:3rd MTP-II workshop On the variability of the Mediterranean sea, Rhodos, 15-17 October 1998.
- Christou, E.D., Siokou-Frangou, I. & Zervakis, V., 1998. Zooplankton interannual fluctuations in the Saronikos Gulf (Aegean Sea). In:GLOBEC: 1st open science meeting, Paris, 17-21 March, 1998. Book of abstracts, p 33.
- Christou, E.D., Siokou-Frangou, I., Mazzocchi, M.G. & Aguzzi, L., 1998. Mesozooplankton abundance in the Eastern Mediterranean during spring 1992. *Rapp. Comm. int. Mer. Medit.* 35(2): 410-411.
- Christou,E.D., I.Siokou-Frangou & S.Zervoudaki, 1997. Copepod egg and fecal pellet production, gut content in the Aegean sea in March 1997. In:1st MATER Wp4 workshop.
- Chronis G., Anagnostou Ch., Pagou K. & A. Karageorgis, 1998. Study and management of the coastal environment. The role of the Institute of Oceanography of the National Centre for Marine Research. Case study: Thermaikos Gulf - Greece. In: Conf. Proc. "Water and the Environment. Balkan Cooperation Network", 7-8 May 1998, Thessaloniki, Greece
- Dalby A.P., Kormas A. K., Christaki U. & Moutsaki, P., 2005. Heterotrophic nanoflagellate predation on hydrocarbon-degrading bacteria in crude oil polluted marine environments. ASLO summer meeting - Santiago de Compostela, Spain juin 2005.
- Danovaro R ., Dell'Anno A. & Pusceddu A., 2000. Biochemical composition of pico-, nano- and micro-particulate organic matter and bacterioplankton biomass in the oligotrophic Cretan Sea (NE Mediterranean). *Prog. Oceanogr.* 46: 279-310.
- Danovaro, R., 2003. Organic inputs and ecosystem efficiency in the deep Mediterranean Sea. *Chemistry and ecology. Vol. 19*, 199: 391-398.
- Delalo, E.P., 1966. The zooplankton of the eastern Mediterranean (Levantine Sea and Gulf of Syrte) In: M.Science (Ed.) *Investigation of Plankton in the South seas*, 7, 62-81.
- Demir, M., 1959. Pontellidae and Parapontellidae (Copepoda) from the Southern Black, Marmara and North East Aegean Sea. *Publ. Hydro-biol. Res. Insi. Univ. Istanbul*, ser. B:IV: 17.
- Demir, M., 1955. Cladocera fauna of southern Black Sea and Marmara Sea. *Hidrobiyoloji Mecmuas*, 3: 37-47.
- Demir, M., 1958. Pelagic copepoda fauna of North-eastern Aegean Sea, Sea of Marmara and Southern Black Sea. *Hidrobiyoloji Mecmuasi*, 3-4: 103-124.
- Demir, M., 1959. Pelagic copepoda fauna of north-eastern Aegean Sea, Sea of Marmara and South Black Sea. Part II Metrididae. *Hidrobiyoloji Mecmuasi*, 5: 27-41.
- Demir, M., 1959. Pontellidae and Parapontellidae (pelagic copepoda) from the southern Black Sea, Marmara and North-Eastern Aegean Seas. *Hidrobiyoloji Mecmuasi* 4: 76-179.
- Demirhindi, U., 1959. Crustacea larva of Marmara Sea. *Hidrobiyoloji Mecmuasi*, 5: 42-64.
- Detmer, A., 1995. Distribution, abundance and significance of autotrophic pico - and nannoplankton in polar, temperate and subtropical regions. *Berichte aus dem Institut fuer Meereskunde an der Christian-Albrechts- Universitaet Kiel*. 19,Albrechts-Universitaet.
- Dinu E.E., 1987-1988. Dynamique spatio-temporelle de la communauté zooplanctonique du littoral roumain de la mer Noire *Cercetari marine*,I.R.C.M.,20/21,295-312.
- Dolan, J.R., F. Vidussi & H. Claustre, 1999. Planktonic ciliates in the Mediterranean Sea:

- longitudinal trends. *Deep-Sea Res. Part I*, 46: 2025-2039.
- Dolan, J.R., H. Claustre, F. Carlotti, S. Plounevez & T. Moutin, 2002. Microzooplankton diversity: relationships of tintinnid ciliates with resources, competitors and predators from the Atlantic Coast of Morocco to the Eastern Mediterranean. *Deep-Sea Res. (Part I)*, 49: 1217-1232.
- Dowidar, N.M. & A.M. El-Maghraby, 1970. The neritic zooplankton of the south eastern Mediterranean at Alexandria. 2. Consideration of the total zooplankton community. *Bull. Inst. Oceanogr. Fish.*, 1: 275-303.
- Dowidar, N.M. & A.M. El Maghraby, 1970. The neritic zooplankton of the south eastern Mediterranean at Alexandria. 1. Distribution and ecology of the zooplankton organisms with special reference to Copepoda. *Bull. Inst. Oceanogr. Fish.*, 1: 225-273.
- Dowidar, N.M. & H.M. Mostafa, 1983. Phytoplankton biomass and primary production in the south eastern Mediterranean off the Egyptian coast. *Rapp. P.-V. Reun. Ciesm.* Vol. 28, 288: 85-88.
- Dowidar, N.M., 1973. Distribution and ecology of *Ceratium egyptiacum* Halim and its validity as an indicator of the current regime in the Suez Canal. *J. Mar. Biol. Assoc. India.* Vol. 15, 155: 335-344.
- Dowidar, N.M., 1984. Phytoplankton biomass and primary productivity of the south-eastern Mediterranean, *Deep-Sea Res.* 31, 983-1000.
- Dowidar, N.M., 1984. The phytoplankton of the Suez Canal. *Acta Adriat.*-256.
- Dubravka R., 1985. Seasonal and multiannual dynamics of copepods in the middle Adriatic *Acta Adriat.*, 26(2),11-99.
- Ediger, D. & Yilmaz, A., 1996. Characteristics of deep chlorophyll maximum in the Northeastern Mediterranean with respect to environmental conditions, *J. Marine Systems* 9, 291-303.
- Ehrenbaum , E., 1924. Scombriformes. *Rep. Danish Ocean. Exped. Mod. and Adiacent Seas.* 11(8), A 11:1-42.
- El Maghraby A.M. & N.M.Dowidar, 1973. Observations on the zooplankton community in the Egyptian Mediterranean waters. *Rapp. Comm. Int. mer Medit.*,21(8),527-530
- Fenaux R., 1968. Quelques aspects de la distribution verticale chez les appendiculaires en Mediterranee. *Cah. Biol. Mar.*,9,23-29.
- Fenaux R., 1974. Sur les appendiculaires du golfe de Saronique(Grece). *Rapp.comm.int.mer Medit.*,29(9),101-103.
- Fenaux R.,1971. Sur les appendiculaires de la Mediterranee orientale. *Bulletin du museum national d'histoire naturelle*,42(6),1208-1211.
- Fenaux R.,1972. Variations saisonnieres des appendiculaires de la region nord Adriatique. *Mar. Biol.* 16,310-319.
- Ferrara, R., B.E. Maserti, 1992. Mercury concentration in the water, particulate matter, plankton and sediment of the Adriatic Sea. *Marine Chemistry* Vol. 38, 388: 237-249.
- Ferrari I.,M.T.Cantarelli, M.G.Mazzocchi & L.Tosi, 1985. Analysis of a 24-hour cycle of zooplankton sampling in a lagoon of the Po river delta. *J.Plankton Res.*,7(6),849-865.
- Fiedler, U. & E. Spanier, 1999. Occurrence of larvae of *Scyllarus arctus* (Crustacea, Decapoda, Scyllaridae) in the eastern Mediterranean - Preliminary results. *Annales Eastern & Mediterranean Studies*, 17: 153-158.
- Finenko G.A., B.E. Anninsky, Z.A.Romanova, G.I. Abolmasova & A.E.Kideys, 2001. Chemical composition, respiration and feeding rates of the new alien ctenophore,*Beroe ovata*, in the Black Sea. *Hydrobiologia*, 451,177-186.
- Fonda Umani S., 1992. Successioni fitoplanctoniche,micro e mesozooplanctoniche nell'Alto Adriatico. *Atti V Congresso SITE*, R.Marchetti & M.Cotta Ramusino (Eds.),221-246.
- Fonda Umani S., M.Specchi, A.Malej & A.Benovic, 1983-84. Five Adriatic bays: Their zooplanktonic community. *Nova Thalassia*,6,37-44.
- Fonda Umani S., Specchi M., Cataletto B. & De Olazabala A., 1994. Distribuzione stagionale del

- mesozooplankton nell'Adriatico settentrionale e centrale. *Bollettino della societa Adriatica di scienze* LXXV, 1, 145-176.
- Fonda Umani S., E.Ghirardelli, L.Milani & M.Specchi, 1989. Zooplankton dell'adriatico settentrionale e centrale. *Bollettino di oceanologia teorica ed applicata*.
- Fonda Umani, S., 1980. I Cladoceri dell'Alto Adriatico: un "review" critico. *Nova Thalassia* 4, 107-133.
- Fonnes Flaten G.A., Skjoldal E.F., Krom M.D., Law C.S., Mantoura F.C., Pitta P., Psarra S., Tanaka T., Tselepides A., Woodward E.M.S., Zohary T & Thingstad T.F., 2005. Studies of the microbial P-cycle during a Lagrangian phosphate-addition experiment in the eastern Mediterranean. *Deep-Sea Res., II*, 52: 2928-2943.
- Fowler, S.W. & D.L. Elder, 1991. Chlorinated hydrocarbons in pelagic organisms from the open Mediterranean Sea. *Mar. Environ. Res.*-96.
- Fragopoulou N. & J.J.Lykakis, 1984. Zooplankton community of Patraikos Gulf of Greece. *Biljeske - Notes*, 54, 1-6.
- Fragopoulou N. & J.J.Lykakis, 1990. Vertical distribution and nocturnal migration of zooplankton in relation to the development of the seasonal thermocline in Patraikos Gulf. *Mar. Biol.*, 14(3), 381-387.
- Fragopoulou N., Siokou-Frangou, I., Christou E.D. & Mazzocchi M.G., 2001. Patterns of vertical distribution of Pseudocalanidae and Paracalanidae (Copepoda) in pelagic waters (0-300 m) of the Eastern Mediterranean Sea. *Crustaceana* 74: 49-68.
- Furlan L., S.-F.Umani & M.Specchi, 1983. Some correlations between hydrological parameters and the population of *Acartia clausi* in the gulf of Trieste. *Rapp.Comm.int.mer Medit.*, 28(9), 165-167.
- Furnestin, L., 1979. Aspects of the zoogeography of the Mediterranean plankton. In: S.Van der Spoel & A.C. Pierrot-Bults, (Eds.), *Zoogeography and diversity in plankton*, Bunge Scientific Publ., Utrecht, pp. 191-253.
- Furnestin, M. L., 1957-58. Chaetognathes recoltes en Mediterranee orientale et en mer Noire par la «Calypso» (Campagne 1955). *Rapp.Comm. int. Mer Medit.*. 14(l):201-209.
- Furnestin, M. L., 1970. Chaetognathes des campagnes du «Thor»(1908-11)en Mediterranee et en mer Noire. *Dana Report*, 79:3-46.
- Furnestin, M. L., 1971. Chaetognathes des campagnes danoises en Mediterranee et en mer Noire. *Rapp. Comm. int. Mer. Medit.*. 20(3):421-424.
- Gamulin T., 1977. Repartition des calycoptères en mer Adriatique. *Rapp.comm.int.mer Medit.*, 24(10), 103-104.
- Ghirardelli E. & Rottini, L., 1979. Chaetognathes recoltes dans la mer Egée occidentale et la mer Ionienne orientale. *Rapp. Comm. int.Mer Medit.*. 25/26(8): 153-154.
- Ghirardelli E., 1975. North Adriatic plankton-Chaetognatha, occurrence and distribution. In: *Proc. 9th Europ. Mar. biol. Symp.*, 609-627.
- Ghirardelli E., 1983-84. Lo zooplancton delgi ambienti neritici. Neritic zooplankton. *Nova thalassia*, 6, 9-29
- Giannakourou A. & Pitta P., 1998. Distribution and mixotrophy of planktonic ciliates in the Eastern Mediterranean. In: *6th European Marine Microbiology Symposium*, Sitges, Spain, 17-21 May 1998, pp. 34.
- Giannakourou A., Kormas K.Ar., Pitta P. & Christaki U., 2005. Microbes and the Microbial Food Web. In: *State of the Hellenic Marine Environment*. E. Papathanassiou & A. Zenetos (Eds.), HCMR Publ., pp. 182-186.
- Giannakourou A., Orlova, T., Assimakopoulou, G. & Pagou K., 2005. Dinoflagellate cysts in Recent Marine Sediments from Thermaikos Gulf, Greece. Possible implications of resuspension events on the onset of phytoplankton blooms. *Continental Shelf Research*, 25(19-20): 2585-2596.

- Giannakourou A., Siokou I., Zervoudaki T., Pitta P. & Christou E., 2000. Copepod grazing on phytoplankton and planktonic ciliates in the Mediterranean Sea. In: Research across boundaries. In: *Proc., ASLO Aquatic Sciences Meeting* (A Pilgrimage Through Global Aquatic Sciences), June 19-24, 2005, Santiago de Compostela, Spain. CS27-23.
- Giannakourou, A., O. Christaki, G. Assimakopoulou & K. Pagkou, 2003. Diel patterns of planktonic ciliates in surface waters of the Eastern Mediterranean: Distribution and grazing. In: *7th Hellenic Symposium on Oceanography and Fisheries*, Chersonissos, Greece, 6-9 May 2003, p.276.
- Giannakourou, A., P. Pitta, P. Divanach & G. Barnabe, 1997. Development of ciliates in mesocosms in the Eastern Mediterranean. Ecological implications. In: *5th Hellenic Symposium on Oceanography and Fisheries*. Kavala, 1: 249-252.
- Godeaux J., 1980. Les thaliaces de la mer Mediterranee Journees etud.system. et biogeogr. *Medit.-Cagliari, CIESM*, 67-68.
- Godeaux J., 1974. Thaliaces de la Mediterranee orientale et de la mer Rouge. *Rapp.Comm.int.mer Medit.*, 22(9), 105-106.
- Godeaux J., 1985. Nouvelles donnees sur la faune des thaliaces de la Mediterranee orientale. *Rapp.comm.int.mer Medit.*, 29(9), 281-282.
- Gotsis,O.,1986. Phytoplankton. In: *Biology and ecology of jelly-fish in Greece*, E. Papathanasiou (Ed.) Technical Report, NCMR, Athens, pp. 20-21.
- Gotsis-Skeretas O., Pagou K., Christaki U. & V. Gialamas, 1990. Spatial distribution of chlorophyll- a in oligotrophic environments (Aegean, Levantine and Ionian Seas). In: *Proc., UNESCO\IOC 4th POEM Scientific Workshop*, ISDGM – CNR, Venice 21/8 – 1/9/1990, Italy, MIT rep.: 7/39.0 – 39.8.
- Gotsis-Skretas O. & Christaki U., 1992. Physiological responses of marine phytoplankton species to copper and mercury. In: *Proc., FAO/UNEP/IOC, workshop on the biological effects of pollutants on marine organisms*. pp.151-164.
- Gotsis-Skretas O., Pagou K. & Christaki U., 1993. The chlorophyll-a distribution in the oligotrophic waters of Aegean, Levantine and Ionian Seas. In: *Proc., 4th National Symposium on Oceanography and Fisheries Rhodes (Greece)*, 26-29 April 1993, 73-76.
- Gotsis-Skretas O., Pagou K. & G. Asimakopoulou, 1998. Chlorophyll distribution patterns in the Eastern Mediterranean, during spring (1989, 1992). In: P. Malanotte-Rizzoli & A.R. Robinson (eds) *Proc., Int. POEM-BC Workshop/Symposium “Biological processes in the Eastern Mediterranean. Interaction with Hydrological Structures”*. Molitg les Bains (France), 3-5 July 1996, IOC., UNESCO, pp.11-14.
- Gotsis-Skretas O., Pagou K., Moraitou-Apostolopoulou M. & Ignatiades L., 1999. Seasonal variability in primary production and standing stocks of phytoplankton and zooplankton in the Eastern Mediterranean: S. Aegean Sea and the Straits of the Cretan Arc. *Progress in Oceanography*, 44: 625-649.
- Gotsis-Skretas, O., Pagou, K. & Asimakopoulou, G., 1996. Distribution of chlorophyll *a* in the Eastern Mediterranean: Eastern Ionian, South Aegean and Northwest Levantine. In: *Int.POEM-BC Symp., Biological Processes in the Eastern Mediterranean. Interaction with Hydrological Structures, Molitg les Bains (France)*, 3-5 July 1996.
- Gotsis-Skretas, O., Pagou, K., & Asimakopoulou, G., 1996. Seasonal, spatial and vertical variability of chlorophyll *a* and phytoplankton communities in the straits of the Cretan Arc and the adjacent seas (South Aegean, Ionian and Levantine seas). In: *CEC/MAST-MTP, sub-project PELAGOS, Hydrodynamics and Biogeochemical fluxes in the Straits of the Cretan Arc (Aegean Sea, Eastern Mediterranean Basin)*, 2nd Annual Progress Report, September 1994 - August 1995, NCMR, Athens, Greece, pp. 315-330.
- Gotsis-Skretas, O., Pagou, K., Akepsimaidis, K. & Kougioufas, P., 1995. Phytoplankton. In: *CEC/MAST-MTP, sub-project PELAGOS, Hydrodynamics and Biogeochemical fluxes in the Straits of the Cretan Arc (Aegean Sea, Eastern Mediterranean Basin)*, 1st Annual Progress

- Report, September 1993 - August 1994*, NCMR, Athens, Greece, pp. 164-185.
- Gotsis-Skretas, O., Pagou, K., Christaki, U. & Akepsimaidis, K., 1993. Distribution of chlorophyll α in the oligotrophic waters of Aegean, Levantine and Ionian seas. In: *Proc., 4th Nat. Symp. Oceanogr. Fish., Rhodos*, 26-29 April 1993, pp. 73-76.
- Gotsis-Skretas, O., Psarra, S., G. Assimakopoulou & L. Ignatiades, 1999. Phytoplankton distribution and spatial structure in the North and South Aegean Sea (Eastern Mediterranean) during early spring and autumn. In: *4th MTP II Workshop (Mass Transfer and Ecosystem Response)*, Perpignan, France, 28-30 Oct., 1999, pp. 170-171.
- Gotsis-Skretas, O., Siokou-Frangou, I., Pagou, K., & Christou, E., 1993. *POEM Data Report 2. POEMBCO91 Cruise, 1 Oct. 91- 15 Nov. 91. POEM - Phase II*. Scientific Research Programme, Greek Contribution, NCMR, Athens, Greece.
- Grazia Corni M., G.Giaccaglia & O.Cattani, 1980. Zoocenosi planctoniche superficiali al largo di Cesenatico. *Nova Thalassia*, 4,63-73.
- Greze V.N., 1970. The biomass and production of different trophic levels in the pelagic communities of South Seas. In: J.H.Steele, (Ed.) *Marine Food Chains*, Oliver & Boyd, Edinburgh,
- Greze V.N., 1989. Zooplankton production in the Mediterranean Sea. *Ecologija morjia*, 33,2-12.
- Greze V.N., O.K. Bileva & A.A. Shmeleva, 1983. Zooplankton in some bank regions of the Mediterranean Sea. *Thalassographica*, 6,17-25.
- Greze V.N., O.K. Bileva, A.V. Kovalev & A.A. Shmeleva, 1986. Size and trophic structure of zooplankton in the Mediterranean Sea. *Soviet J. Mar. Biol.*, 11(6),303-309.
- Greze, V.N., 1963. Zooplankton of the Ionian Sea. *Okeanol. Ist.*, 9, 42-59.
- Greze, V.N., E.V. Pavlova, A.A. Shmeleva & E.P. Delalo, 1982. Zooplankton and its quantitative distribution in the eastern Mediterranean Sea area. *Ehkologiya morya. Kiev. Pp.* 837-46.
- Greze. V.N., Delalo, E., Pavlova. E. & Shmeleva, A. A., 1968. Sur la composition et la repartition quantitative du Zooplankton dans laMediterranee orientale. *Rapp. Comm. int. Mer Medit.*, 19(3):427.
- Greze. V.N.. Pavlova, E., Shmeleva, A.A., & Delalo, E., 1982. Zooplankton of the eastern Mediterranean and its quantitative distribution. *Ekologija Morija*, 8:37-45. (in Russian).
- Groom, S., Herut, B., Brenner, S., Zodiatis, G., Psarra, S., Kress, N., Krom, M.D., Law, C., & Drakopoulos, P., 2005. Satellite derived spatial and temporal biological variability in the Cyprus Eddy. *Deep-Sea Res., II* 52: 2990-3010.
- Gubanova A., 2000. Occurrence of *Acartia tonsa dana* in the Black sea..Was it introduced from the Mediterranean? *Medit. Mar. Sci.*, 1(1),105-109.
- Gubanova, A.D., I.Yu. Prusova, U. Niermann, N.V. Shadrin and I.G. Polikarpov, 2001. Dramatic change in the copepod community in Sevastopol Bay (Black Sea) during two decades (1976-1996). *Senckenbergiana Maritima*, 31: 17-27
- Gudenberg, H.J.W., 1991. Phytoplankton biomass investigation in the Saronikos Gulf, winter 1973. *Acta Adriat.*-303.
- Guglielmo L., 1974. Dati sulla biomassa dello zooplancton prelevato in acque costiere del mar jonio. *Boll. Pesca, piscic., idrobiol.*, 29(1),71-79.
- Guglielmo, L., 1991. Distribution of Chaetognatha in the hydrographic area of the Straits of Messina. *Publ. Stn. Zool. Napoli*-72.
- Hajderi E., N.Casavola & G.Marano, 1992. Distribuzione estiva dei cladoceri nell'Adriatico meridionale, Cladocera in the lower Adriatic sea. *Oebalia*, 17,363-364.
- Hajderi E., N.Casavola & G.Marano, 1993. Osservazioni sulla distribuzione dei cladoceri nell'Adriatico pugliese. *Biologia marina, suppl.al Notiziario S.I.B.M.*, 1,59-62.
- Halim, Y., 1991. Marine biological studies in Egyptian Mediterranean waters: a review. *Acta Adriat.*-38.
- Halim,Y., Guergues, S.K. & Saleh, H.H., 1967. Hydrographic conditions and plankton in the

- South East Mediterranean during the last normal Nile flood (1964), *Int. Revue ges. Hydrobiol.* 52(3), 401-425.
- Hatzakis A., 1977. Contribution a l'etude des gastrosaccinae (Crustacea, Mysidacea) de la Mediterranee. Description de la *Haplostylus Bacescui* N. SP. et revision de la nomenclature des *Haplostylus* et *Gastrosaccus* Mediterraneens. *Biologia Gallo-Hellenica*, 6(2), 271-286.
- Hatzakis N., 1974. Mysidaces trouves en mer Egee (Partie sud) de 1966 a 1971. *Rapp. Comm. int. mer Medit.*, 22(9), 81.
- Hatzakis, A., 1982. The Mysidacea (Crustacea) of the Greek seas (morphotaxonomy, ecogeography, bionomy). *Ph.D. Thesis*, Univ. Athens, 208pp.
- Herut B., Krom M.D., Mantoura R.F.C., Pitta P., Psarra S., Rassoulzadegan F., Thingstad F., Tanaka T. & Zohary T., 2006. Response of east Mediterranean surface water to Sahara dust: On-board microcosm experiment and field observations. *Deep-Sea Res. II*, 52: 3024-3040.
- Herut, B., Zohary, T., Krom, M.D., Mantoura, R.F.C., Pitta, P., Psarra, S., Rassoulzadegan, F., Tanaka, T. & Thingstad, F., 2005. Response of East Mediterranean surface water to Sahara dust: On-board microcosm experiment and field observations. *Deep-Sea Res., II* 52: 3024-3040.
- Hottinger, L., 1976. Faunistic and floral inventory of the western Mediterranean off west Crete. *Bull. Schweiz. Naturforsch. Ges. Komm. Ozeanogr. Limnogeol.* no. 52-14.
- Hure J. & B.Scotto di Carlo, 1969. Copepodi pelagici dell'Adriatico settentrionale nel periodo gennaio-dicembre 1965. *Estratto dalle Pubbl. Staz. Zool. Napoli*, 37(2), 173-195.
- Hure J., A.Ianora & B.Scotto di Carlo, 1979. Copepod density in the open waters of the Adriatic Sea. *Rapp. Comm. Int. mer Medit.*, 25/26(8), 139-140.
- Hure J., A.Ianora & B.Scotto di Carlo, 1979. Spatial distribution of pelagic copepods in the Adriatic Sea. *Rapp. Comm. Int. mer Medit.*, 25/26(8), 141-142.
- Hure J., A.Ianora & B.Scotto di Carlo, 1980. Spatial and temporal distribution of copepod communities in the Adriatic Sea. *J. Plankton Res.*, 2(4), 295-316.
- Ianora A. & B.Scotto di Carlo, 1981. Vertical distribution of Mediterranean deep-sea copepods *Rapp. Comm. Int. mer Medit.*, 27(7), 165-167.
- IFREMER (BREST), 1987. 2nd Soviet-French symposium on production and trophic relationships within marine ecosystems, Yalta 27 Oct-2 Nov. 1984.). *IFREMER Centre de Brest. Actes de Colloques*. 19.
- Ignatiades L. & K. Pagou, 1985. The abundance pattern of diatoms as an indicator of eutrophication. *Rapp. Comm. int. Mer Medit.*, 29(9): 81-82.
- Ignatiades L., Gotsis, O., Apostolopoulou M., Pagou K., Sassisou V., Kapiris K., Zervoudaki S. & Psarra S. 1994. Plankton and Productivity in Southern Aegean Sea: MAST/MTP PELAGOS 1 Cruise (late winter-early spring 1994). In: M. Canals & E. Lipiatou (Eds.) *Proc., 1st Workshop, Mediterranean Targeted Project*, Barcelona, Spain, Nov. 21-23, 1994, p. 77-82.
- Ignatiades L., Karydis M. & K. Pagou, 1987. Patterns of dark ¹⁴CO₂ incorporation by natural marine phytoplankton communities. *Microb. Ecol.*, 13: 249-259.
- Ignatiades L., Kozanoglou K., Gotsis-Skretas O., Pagou K., Assimakopoulou G., Psarra S. & S. Zivanovic, 1998. Seasonal variation of fractionated chlorophyll a and primary production in the N. and S. Aegean Sea. In: Proc., 3rd MTP-II WORKSHOP on the Variability of the Mediterranean Sea – MATER, Rhodos, Greece, 15-17 October 1998, p.: 133-134.
- Ignatiades L., Pagou K. & A. Vassiliou, 1986. Long-term response of six diatom species to eutrophication. *Oceanologica Acta*, 9(4): 449-456.
- Ignatiades L., Pagou K. & V. Gialamas, 1992. Multivariate analysis of phytoplanktonic parameters: a sample study. *J. Exp. Mar. Biol. Ecol.*, 160: 103-114.
- Ignatiades, L. & N. Moschopoulou, 1988. Nitrogen as a factor affecting algal growth potential of

- an oligotrophic coastal environment of Eastern Mediterranean Sea. *Internationale Revue der gesamten Hydrobiologie*. Berlin. Vol. 73, 733: 457-464.
- Ignatiades, L., 1969. Annual cycle, species diversity and succession of phytoplankton in lower Saronikos Bay, Aegean Sea. *Mar. Biol.* 3, 196-200.
- Ignatiades, L., 1994. Species dominance and niche breadth in "bloom" and "non-bloom" phytoplankton populations. *Oceanologica acta*. Paris Vol. 17, 177: 89-96.
- Ignatiades, L., 1998. The productive and optical status of the oligotrophic waters of the Southern Aegean Sea (Cretan Sea), Eastern Mediterranean. *J. Plankton Res.* 20 (5), 985-995.
- Ignatiades, L., Gotsis-Skretas, O., Pagou, K., Assimakopoulou, G., Psarra, S., Tselepidis, A. & C. Kozanoglou, 1997. Primary production and Phytoplankton biomass trends in the North and South Aegean Sea. In: Proc., 1st WP4 Multidisciplinary Studies In The Eastern Mediterranean.(MTP II - MATER) Workshop, 27-28 June 1997, Crete - Greece.
- Ignatiades, L., Gotsis-Skretas, O., Pagou, K., Assimakopoulou, G., Psarra, S., Pitta, P. & S. Zivanovic, 1999. Primary production, bio-optical characteristics, taxonomic trends and biomass of phytoplankton. In: MATER : Mass Transfer and Ecosystem Response. MAST III, Mediterranean Targeted Project II, Final Report. Work Package 4, Task V, Work 411.
- Ignatiades, L., Kozanoglou, C. & Psarra, S., 1996. Primary production, size fractionated pigments and underwater radiant energy in the waters of southern Aegean Sea and the straits of the Cretan Arc. In: CEC/MAST-Mediterranean Targeted Project, sub-project "PELAGOS", *Hydrodynamics and Biogeochemical fluxes in the Straits of the Cretan Arc (Aegean Sea, Eastern Mediterranean Basin)* 2 Annual Progress Report, September 1994-August 1995, (pp.303-314). Athens, Greece: NCMR.
- Ignatiades, L., Pagou, K., Psarra, S., & O. Gotsis-Skretas, 1999. Photosynthetic production in North Aegean Sea. In: E. Th. Balopoulos et al. (Eds.) *Proc., Int. Conf. on Oceanography of the Eastern Mediterranean and Black Sea. Similarities and Differences of two Interconnected Basins*. 23-26 Feb., 1999, Athens, Greece, p. 238.
- Ignatiades, L., Psarra, S., Zervakis, V., Pagou, K., Souvermezoglou, E., Assimakopoulou, G. & Gotsis-Skretas, O., 2002. Phytoplankton size-based dynamics in the Aegean Sea (Eastern Mediterranean). *J. Mar. Sys.*, 36: 11-28.
- Isinibilir, M. & Tarkan, A.N., 2002. Distribution of the Invasive Ctenophore *Mnemiopsis leidyi* (Agassiz, 1865) in the North-eastern Aegean Sea in August 1998. Turkish J. Fish. Aquat. Sci. Vol. 2, no. 2, pp. 129-132.
- Issel, R., 1928a. I pesci e la pesca costiera nelle acque del Dodecanese. *Arch. Zool. Ital.* 12(10):262-271.
- Issel, R., 1928b. Addensamento di microplancton atipico nelle acque del Dodecanese. *Arch. Zool. Ital.* 12(10):273-292.
- Izzo, J. & Pagou K., 1999. Environmental status and threats – Eutrophication. In: "State and pressures of the marine and coastal Mediterranean environment". Papathanassiou E., Izzo J. & A. Kunitzer (Eds.), European Environment Agency, *Environmental assessment series*, No 5: 76-82.
- J.Matsakis, C.Yannopoulos, M.Thessalou, A.Hatzakis, V.Malouhou-Grimba, M.Moraitou-Apostolopoulou, M.Mylonas, I.Siokou & A.Yannopoulos, 1978. Ecologie marine de la region de l'eubee du nord.III evolution du zooplancton dans sept stations *Biologia Gallo-Hellenica*,7(1-2),98-144.
- Jespersen, D. & Taning, V.A., 1926. Mediterranean Stenoptychidae. *Rap. Danish Oceanogr. Exped. Medit. and Adjacent Seas*, 11(9), A.12:1-59.
- Jespersen, P., 1923. On the quantity of macroplankton in the Mediterranean and the Atlantic. *Rep. Dan. Oceanogr. Expedit. Mediterranean and Adjacent Seas*. 3(3): 1-17.
- Jespersen, P., 1935. Quantitative investigations on the distribution of macroplankton in the different oceanic regions. *Dana Report*. 1.

- Jorgensen, E, 1924. Mediterranean Tintinnidae. *Rep. Dan. Ocean.Expedit. Medit. and Adjacent Seas.* 11(8), J. 3:1 -110.
- Kamburska L., K. Stefanova, 2002 - Status of zooplankton community in Varna bay-Varna lake-Beloslav lake. In: Proceeding of Sixth International Conference on Marine Science and Technology, Varna, 336-341 pp
- Kamburska L., K. Stefanova, 2005 Distribution and size structure of the non indigenous Ctenophore *Mnemiopsis leidyi* (Agassiz, 1874) in the West Black Sea 1998-2001. *Acta Zoologica Bulgarica* 57 83-94
- Kamburska L., V. Doncheva, K. Stefanova, 2003. On the recent changes of zooplankton community structure along the Bulgarian Black Sea coast – a post – invasion effect of exotic ctenophore interactions In: Proceedings of the First International Conference on Environmental Research and Assessment Bucharest, Romania, March 23-27, 2003.
- Karageorgis, A.P, Skourtos, M.S., Kapsimalis, V., Kontogianni, A.D., Skoulidakis, N.Th., Pagou, K., Nikolaidis, N.P., Drakopoulou, P., Zanou, B., Karamanos, H., Levkov, Z. & Anagnostou, Ch., 2005. An Integrated Approach to Watershed Management within the DPSIR Framework: Axios River catchment and Thermaikos Gulf. *Regional Environmental Change*, 5: 138-160.
- Karakassis I., Tsapakis M. & Pitta P., 2001. Environmental effects of fish farming in the Mediterranean. *Rapp. Comm. int. Mer Medit.*, 36: 283.
- Karakassis I., Tsapakis M., Hatziyanni E. & Pitta P., 1998. Interactions of aquaculture and the marine environment in the Mediterranean: spatio-temporal scales of impact and regional research priorities. *1st Balkan Aquaculture Conference*. Thessaloniki 18-21 September.
- Karlovac, J., T. Pucher-Petkovic, T. Vucetic & M. Zore-Armanda, 1974. Evaluation of biological resources in the Adriatic Sea based on plankton investigations. *Acta Adriat.*, 16: 157-184.
- Karydis, M. & G. Tsirtsis, 1996. Ecological indices: A biometric approach for assessing eutrophication levels in the marine environment. *Sci. Total Environ.* Vol. 186, 1866: 209-219.
- Kashkin, N.I., 1976. On the quantity of macroplankton in the eastern Mediterranean Sea. (*Macroplankton of seas and oceans*). *Makroplankton morej i okeanov*. Vol. 110, 1100.
- Katavic I., 1977. Distribution of doliolids in the Adriatic Sea in autumn 1974 and spring 1975 (Thaliacea-Cyclomyaria). *Rapp. Comm.int.mer Medit.*, 24(10), 145-146.
- Kehayias G., N.Fragopoulou & J.Lykakis, 1994. Vertical community structure and ontogenetic distribution of Chaetognaths in upper pelagic waters of the eastern Mediterranean. *Mar. Biol.*, 119, 647-653.
- Kehayias, G., 2004. Spatial and Temporal Abundance Distribution of Chaetognaths in Eastern Mediterranean Pelagic Waters. *Bull. Mar. Sci.*, Vol. 74, 744: 253-270.
- Kideys A.E., A.V.Kovalen, G.Shulman, A.Gordina & F.Bingel, 2000. A review of zooplankton investigations of the Black sea over the last decade. *J. Mar. Syst.*, 24, 355-371.
- Kideys, A. E. 1994. Recent dramatic changes in the Black Sea ecosystem: The reason for the sharp decline in Turkish anchovy fisheries. *Journal of Marine Systems*, 5: 171-181
- Kideys, A.E. and Niermann, U. 1993. Intrusion of *Mnemiopsis mccradyi* (Ctenophora Lobata) into the Mediterranean Sea. *Senckenbergiana maritima*, 23, (1/3) 43-47
- Kideys, A.E. and Niermann, U. 1994. Occurrence of *Mnemiopsis* along the Turkish coast. *ICES Journal of Marine Science*, 51: 423-427.
- Kideys, E.A, 2002. Fall and rise of the Black Sea ecosystem. *Science*, 297, 1482-1483.
- Kideys, E.A., Kovalev, A.V., Shulman, G., Gordina, A., Bingel, F., 2000. A review of zooplankton investigations of the Black Sea over the last decade. *Journal of Marine Systems*, 24, 355-375.
- Kimor B. & V.Berdugo, 1967. Cruise to the eastern Mediterranean Cyprus 03. *Sea fish Res.St.*, Haifa, 45, 6-31
- Kimor, B. & Berdugo, V., 1967. Cruise to the eastern Mediterranean Cyprus 03. Plankton reports. *Bull. Sea Fish. Res.. Stn. Israel*.45:5-31.

- Kimor, B. & E.J.F. Wood, 1975. A plankton study in the eastern Mediterranean Sea. *Mar. Biol.*, Vol. 29, 299: 321-333.
- Kimor, B., 1972. The Suez Canal as a link and a barrier in the migration of planktonic organisms. *Isr. J. Zool.*, Vol. 21, 211: 391-403.
- Kimor, B., 1983. Distinctive feature of the plankton of the eastern Mediterranean. *Ann. Inst. Oceanogr.*, 59: 97-106.
- Kimor, B., 1985. Round table on indicator species in marine phytoplankton II. Background presentation, *Rapp. Comm. int. Mer Medit.* 29(9), 65-79.
- Kimor, B., 1990. Microplankton of the Red Sea, the Gulf of Suez and the Levantine Basin of the Mediterranean. *Institut Oceanographique. Bulletin.* 19.
- Kimor, B., Berman, T. & Schneller, A., 1987. Phytoplankton assemblages in the deep chlorophyll maximum layer off the Mediterranean coast of Israel. *J. Plankton Res.* 9, 433-443.
- Kimor, B., N. Gordon & A. Neori, 1992. Symbiotic associations among the microplankton in oligotrophic marine environments, with special reference to the Gulf of Aqaba, Red Sea.. *J. Plankton Res.*, Vol. 14, 144: 1217-1231.
- Kiortsis V., 1985. Mediterranean marine ecosystems : establishment of zooplanktonic communities in transitional and partly isolated areas. In: *Mediterranean marine ecosystems*, M.Moraitou-Apostolopoulou & V.Kiortsis (Eds.), Plenum, pp. 377-385.
- Kiortsis, V. & Moraitou-Apostolopoulou, M., 1975. Marine Cladocera (Crustacea) in the eutrophicated and polluted Saronic Gulf (Greece). *Isr. J.Zool.*, 24(1): 71-74.
- Kiortsis, V., 1974. Quelques considerations sur l' ecologie du zooplanc-ton en mer Egee. Repartition geographique et variations saisonnieres. *Rap. Comm. int. Mer Medit.* 22(9): 139-141.
- Kiortsis, V., Moraitou-Aposotolopoulou. M., Veini. M. Vamvakas, K. & Roufogalis, V., 1969. Marine fauna of the Aegean Sea. Surface zooplankton from the North Aegean Sea. *Rep. Off. Naval Res.. Ocean. Biol. Branch*, Athens: 1-82.
- Konsulov A. & L.Kamburska, 1997. Sensitivity to anthropogenic factors of the plankton fauna adjacent to the Bulgarian coast of the Black sea. In: *Sensitivity to change:Black Sea, Baltic Sea and North Sea*, E.Ozsoy & A.Mikaelyan (Eds.), 95-104.
- Konsulov A. & L.Kamburska, 1998. Zooplankton dynamics and variability off the Bulgarian Black sea coast during 1991-1995. In: *Ecosystem modeling as a management tool for the Black Sea*, L.I.Ivanov & T.Oguz (Eds.), 1,281-292.
- Konsulov A.,T.Konsulova, K.Prodanov, S.Moncheva, K.Dencheva, A.Velikov &L.Kamburska, 1998. State of the art and tendencies for changes in the Black Sea biodiversity in front of the Bulgarian coast. In: *Conservation of the biological diversity as a prerequisite for sustainable development in the Black sea region*, V.Kotlyakov et al. (Eds.), 101-128.
- Konsulov, A, L. Kamburska, 1998. Ecological determination of the new Ctenophora-Beroe ovata invasion in the Black Sea, *Oceanology, IO-BAS*, v.2, 195-198.
- Konsulov, A., L. Kamburska, 1997. Sensitivity to Anthropogenic Factors of the Plankton Fauna Adjacent to the Bulgarian Coast of the Black Sea. NATO ASI Series “Sensitivity to Change: Black Sea, Baltic Sea and North Sea”, 2, Environment, Kluwer Academic Publishers, vol. 27, 95-104.
- Konsulov, A., L. Kamburska, 1998. Black Sea zooplankton structural dynamic and variability off the Bulgarian Black Sea coast during 1991-1995. NATO ASI Series, 2.Environment-vol.2/27, “Ecosystem Modeling as a Management Tool for the Black Sea, Symposium on Scientific Results”, L. Ivanov & T. Oguz (eds.), v.1, (Kluwer Academic Publishers), 281-293.
- Koppelman, R., H. Weikert, C. Halsband-Lenk & T. Jennerjahn, 2004. Mesozooplankton community respiration and its relation to particle flux in the oligotrophic eastern Mediterranean. *Global Biogeochem. Cycles.* Vol. 18, 188.
- Koray, T., 2001. A check-list for phytoplankton of Turkish seas . *Su urunleri dergisi/Journal of fisheries and aquatic sciences*, Vol. 18, 188: 1-23.

- Kormas K.A., Kapiris K., Thessalou-Legaki M. & Nicolaïdou A., 1998. Quantitative relationships between phytoplankton, bacteria and protists in an Aegean semi-enclosed embayment (Maliakos Gulf, Greece). *Aquat. Microb. Ecol.*, 15:255-264.
- Kormas, K.A. & S. Papaspyrou, 2004. Growth of marine bacterioplankton on river and seawater dissolved organic carbon in a Mediterranean coastal system. *Cah. Biol. Mar.* Vol. 45, 455: 55-64.
- Kormas, K.A., Nicolaïdou & A. Thessalou-Legaki, M., 2003. Variability of environmental factors of an eastern Mediterranean Sea river influenced coastal system. *Medit. Mar. Sci.* Vol. 4, no. 1, pp. 67-77.
- Koulebakina, L. G., 1973. Concentration de Strontium-89, Yttrium-91 et Thalium-204 par le zooplancton de la mer Egee. In: Anonyme: *6'eme voyage de Acad. Kovalevskii: Expedition en mer Medit. en Septembre-Octobre 1970*: 137-142 (in Russian).
- Koulouri, P.T., C.G. Dounas & A. Eleftheriou, 2003. A new apparatus for the direct measurement of otter trawling effects on the epibenthic and hyperbenthic macrofauna. *J. Mar. Biol. Ass. UK.*, Vol. 83, 833: 1363-1368.
- Kouvaraki E., Christaki U., Gaudy R. & Verriopoulos G., 1993. Relationships between phytoplankton, bacteria and mesozooplankton in eutrophic, meso- and oligotrophic area. In: *Proc. 4th Nat. Symp. on Oceanography and Fisheries Rhodes*, (Greece), 26-29 April 1993, 196-199.
- Kovalev A., S.Besiktepe, J.Zagorodnyaya & A.E.Kideys, 1998. Mediterraneanization of the Black Sea zooplankton continuing. In: *Ecosystem modeling as a management tool for the Black Sea*, L.I.Ivanov & T.Oguz (Eds.), 1,199-207.
- Kovalev A., U.Niermann, V.Melnikov, V.Belokopitov, Z.Uysal, A.E.Kideys, M.Unsal & D.Altukhov, 1998. Long-term changes in the Black sea zooplankton: the role of natural and anthropogenic factors. In: *Ecosystem modeling as a management tool for the Black Sea*, L.I.Ivanov & T.Oguz (Eds.), 1,221-234.
- Kovalev A.V., 1991. Quantitative distribution of a jelly-fish *Mnemiopsis mccradyi* and changes in a zooplankton associated with abundance of *Mnemiopsis* in the Black Sea. The Black Sea symposium, Istanbul, 255-262.
- Kovalev V., A.D.Gubanova, A.E.Kideys, V.V.Melnikov, U.Niermann, N.A.Ostrovskaya, I.Yu.Prusova, V.A.Skryabin, Z.Uysal, Ju. & A.Zagorodnyaya, 1998. Long-term changes in the biomass and composition of fodder zooplankton in coastal regions of the Black Sea during the period 1957-1996. In: *Ecosystem modeling as a management tool for the Black Sea*, L.I.Ivanov & T.Oguz (Eds.), 1,209-219.
- Kovalev, A.V., M.G. Mazzocchi, I. Siokou-Frangou & A.E. Kideys, 2001. Zooplankton of the Black Sea and the Eastern Mediterranean: similarities and dissimilarities. *Medit. Mar. Sci.* Vol. 2, 22: 69-77.
- Kovalev, A. V. Besiktepe, J. Zagorodnyaya and A.E.Kideys, 1998. Mediterraneanization of the Black Sea zooplankton is continuing. In: NATO TU-Black Sea Project; Ecosystem Modeling as a Management Tool for the Black Sea. Symposium on Scientific Results (Eds, Ivanov, L. & T. Oguz), Kluver Academic Publisher, pp: 199-208.
- Kramp, P.L., 1924. Medusae. *Rep. Danish Ocean. Expedit. Mediterranean and Adjacent Seas 1908-1910*. 2(8), H 1:1-67.
- Kress N., Thingstad T.F., Herut B., Zohary T., Pitta P., Psarra S., Polychronaki T., Spyres G., Mantoura R.F.C., Tanaka T., Rassoulzadegan F., Groom S. & Krom M.D., 2005. A microcosm experiment on nutrient limitation in oligotrophic water of the Eastern Mediterranean influenced by nearshore waters. *Deep-Sea Res. II* 52: 3054-3073.
- Kress, N. & B. Herut, 1998. Hypernutrification in the oligotrophic eastern Mediterranean: A study in Haifa Bay (Israel) . *Estuarine*, 46: 645-656.
- Krom M.D., Thingstad T.F., Brenner S., Carbo P., Drakopoulos P., Fileman T.W., Flaten G.A.F., Groom S., Herut B., Kitidis V., Kress N., Law C.S., Liddicoat M.I., Mantoura

- R.F.C., Pasternak A., Pitta P., Polychronaki T., Psarra S., Rassoulzadegan F., Skjoldal E.F., Spyres G., Tanaka T., Tselepides A., Wassmann P., Wexels Risr C., Woodward E.M.S., Zodiatis G. & Zohary T., 2005. Summary and overview of the CYCLOPS P addition Lagrangian experiment in the Eastern Mediterranean. *Deep-Sea Res. II*, 52: 3090-3108.
- Krom, M.D., Kress, N., Brenner, S., & Gordon, L.I., 1991. Phosphorus limitation of primary productivity in the eastern Mediterranean Sea, *Limnol. Oceanogr.*, 36(3), 424-432.
- Krsinic, F. & B. Grbec, 2002. Some distributional characteristics of small zooplankton at two stations in the Otranto Strait (Eastern Mediterranean). *Hydrobiologia* Vol. 482, 482: 119-136.
- Krsinic, F., 1988. The family Xystonellidae (Ciliophora, Tintinnina) in the Adriatic Sea. *J. Plankton Res.* Vol. 10, 100: 413-429.
- La Ferla, R., M. Azzaro & G. Chiodo, 1999. Microplankton respiratory activity and CO sub(2) production rates in the Otranto Strait (Mediterranean Sea). *Aquat. Ecol.* Vol. 33, 333: 157-165.
- Lakkis S. & R.Zeidane, 1983. Diversite specifique et successions ecologiques chez les copepodes des eaux Libanaises. *Rapp.Comm.int.mer Medit.*, 28(9),153-154.
- Lakkis S., 1971. Contribution a l'etude du zooplancton des eaux libanaises. *Mar. Biol.*,11,138-148.
- Lakkis S.,1974. Distributions saisonnieres du zooplancton dans le eaux libanaises. *Rapp. Comm. Int. mer Medit.*,22(9),117-118.
- Lakkis S.,1976. Considerations on the distribution of pelagic copepods in the eastern Mediterranean off the coast of Lebanon. *Acta Adriat.*, 18(3),41-52
- Lakkis S.,1976. Sur la presence dans les eaux Libanaises de quelques copepodes d'origine indo-pacifique. *Rapp.Comm.int.mer Medit.*, 23(9),83-85.
- Lakkis S.,1984. On the presence of some rare copepods in the Levantine basin. *Crustaceana*, 7,286-304.
- Lakkis, S. & Lakkis, V.N., 1980. Composition, annual cycle and species diversity of the phytoplankton in Lebanese coastal waters, *J. Plankton Res.* 3(1), 123-136.
- Lakkis, S., 1971. Seasonal variations in abundance of pelagic copepods in the Eastern Mediterranean at Beirut. *Thalassia Jugosl.* Vol. 7, 77: 159-170.
- Lakkis, S., 1976. Considerations on the distribution of pelagic copepods in the eastern Mediterranean off the coast of Lebanon. *Acta Adriat.*, 18(3) 41-52.
- Lakkis, S., 1977. Chaetognaths of Lebanese waters. Faunistic and ecological observations. *Rapp. P.-V. Reun., Comm. Int. Explor. Sci. Mer Mediterr.*, Monaco, 24(10), 137-138.
- Lakkis, S., 1990. Composition, diversity and successions of planktonic copepods in the Lebanese waters (eastern Mediterranean). *Oceanologica Acta* 13(3), 489-501.
- Lakkis, S., 1994. Coexistence and competition within *Acartia* (Copepoda, Calanoida) congeners from Lebanese coastal water: Niche overlap measurements. *Hydrobiologia*. Vol. 292-293, pp481-490.
- Lakkis, S., 1998. Biogeography of the plankton from Lebanese waters (eastern Mediterranean): the Levantine basin and species of Indo-Pacific origin. *Pelagic Biogeography ICoPB II. Proc., 2nd Int. Conf., Final report of SCOR/IOC Working Group 93 'Pelagic Biogeography'*. Noordwijkerhout, 233-238.
- Li, W.K.W., T. Zohary, Y.Z. Yacobi & A.M. Wood, 1993. Ultraphytoplankton in the eastern Mediterranean Sea: Towards deriving phytoplankton biomass from flow cytometric measurements of abundance fluorescence and light scatter. *Mar. Ecol. Prog. Ser.*, Vol. 102, 1022: 79-87.
- Lotan A., R.Ben-Hillel & Y.Loya, 1992. Life cycle of *Rhopilema nomadica*: a new immigrant scyphomedusan in the Mediterranean. *Mar. Biol.*,112,237.
- Lucic D. & V.Onofri, 1990. Seasonal variation of neritic mesozooplankton in Maliston Bay (southern Adriatic) *Acta Adriat.*,31(1/2),117-137.

- Lykousis, V., Theocharis, A., Krassakopoulou, E., Price, B., Pates, J., Christaki, U., Giannakourou, A., Van Wambeke, F., Christou, E., Siokou, I., Zervoudaki, S., Gotsis-Skretas, O., Pagou, K., Bouloubassi, I., Polychronaki, T., Podaras, I., Lampadariou, N., Marrale, D. & P. Masque, 1999. MTP-II-MATER Transmediterranean Cruise (June 1999). In: Proc., 4th MTP Workshop MATER (*Mass Transfer and Ecosystem Response*), Perpignan, France, 28-30 Oct. 1999, pp. 141-142.
- Mahoula-Griba, V., 1984. Siphonophora of the Greek seas (morpho-taxonomy, ecogeography, histology). *Doct. Thesis*, Univ. Athens, 234pp. (in Greek).
- Makarova, N.P., T.Y. Churilova & S.V. Zhorov, 1987. Distribution of phytoplankton pigments in the Eastern Mediterranean Sea. *Ehkologiya morya*. Kiev. no. 277-12.
- Malej A., J.Faganelli, & J.Pezdic, 1993. Stable isotope and biochemical fractionation in the marine pelagic food chain: the jellyfish *Pelagia noctiluca* and net zooplankton. *Mar. Biol.*, 116, 565.
- Malinverno, E., P. Ziveri C. Corselli, 2003. Coccolithophorid distribution in the Ionian Sea and its relationship to eastern Mediterranean circulation during late fall to early winter 1997. *J. Geophys. Res., C. Oceans* Vol. 108, 1088.
- Manca, B., B. Klein, N. Kress & M. Ribera d'Alcala, 2002. Low-Frequency changes of water masses structure, flow patterns and biochemical exchanges through the Eastern Mediterranean regions. *Tracking long-term hydrological change in the Mediterranean Sea*. no. 1661-70.
- Marano G., N.Casavola & E.Hajderi, 1993. Osservazioni sulla distribuzione dei Cladoceri nell'Adriatico pugliese *Biologia marina, suppl.* Al Notiziario S.I.B.M., 1, 59-62.
- Marano G., N.Casavola & E.Hajderi, 1992. Distribuzione estiva dei Cladoceri nell'Adriatico meridionale. *Oebalia*, 17, 363-364.
- Marano G., N.Casavola & E.Hajderi, 1994. Indagini preliminari sui copepodi nel Calane d'Otranto. *Biol.Mar.Medit.*, 1(1), 113-118.
- Marano G., N.Casavola, E.Hajderi & G.Martino, 1989. Composizione e distribuzione della biomassa zooplantonica nell'Adriatico Meridionale. *Nova Thalassia*, 10(1), 195-202.
- Marcus N.H. & K.Taulbee, 1992. Potential effects of a resuspension event on the vertical distribution of copepod egg in the sea bed:a laboratory simulation. *Mar. Biol.*, 114, 249.
- Margineanu C., 1968. Les copepodes cryophiles du littoral roumain de la mer Noire. *I.Pseudocalanus elongatus* (Boeck) *Rapp. Comm.int.mer Medit.*, 19(3), 421-422.
- Marty, Y., D.Y. Ratkovich, A.P. Musatov & L.S. Chumakova, 1974. Biological productivity of the Caspian Sea. *Nauka*. 19.
- Massera Bottazzi E. & M. Gabriella Andreoli, 1977. Seasonal quantitative observations on the zooplankton in several coastal zones of the Ligurian, Tyrrhenian, Ionian and Adriatic seas. *Rapp. Comm. Int. mer Medit.*, 24 (10), 121-122.
- Mateu, G., 1926. Planktonic Mediterranean Foraminifera and their post-evaporation ecological evolution. *J. Protozool.* 26 (3, part 1), 64a.
- Mavili S., 1987. Turkiye'nin ege deniz kiyiları yuzey sularinda bulunan appandicularia (Tunicata) *Turleri Doga Tu zooloji D.*, 128-135.
- Mazzocchi, M.G., Christou E.D., Fragopoulou N. & Siokou-Frangou I., 1997. Mesozooplankton distribution from Sicily to Cyprus (Eastern Mediterranean): I. General aspects. *Oceanol. Acta*, 20: 521-535.
- Mihailov, A.A. & Denisenko, V.V., 1963. On the phytoplankton of the Aegean Sea, *Trudy Sevastopol. Biol. St.* 17, 3-12 (in Russian).
- Moncheva S., Gotsis-Skretas O., Pagou, K. & A. Krastev, 1999. Phytoplankton blooms - A key ecological issue in Black Sea and Mediterranean coastal ecosystems: Similarities and differences. In: E. Th. Balopoulos *et al.* (Eds.) *Proc. Int. Conf. Oceanography of the Eastern Mediterranean and Black Sea. Similarities and Differences of two Interconnected Basins*. 23-26 Feb., 1999, Athens, Greece, pp. 26-27.

- Moncheva, S., Gotsis-Skretas, O., Pagou, K. & A. Krastev, 2001. Phytoplankton blooms in Black Sea and Mediterranean coastal ecosystems: similarities and differences. *Est. Coast. Shelf Sci.*, 53(3): 281-295.
- Moraitou-Apostolopoulou M. & M. Vournazou, 1978. Planktonic Copepods the Ionian Sea off the Coast of Greece and in the Korinthiakos Gulf in September 1972. *Thalassia Jugoslavica*, 14(3/4), 303-311.
- Moraitou-Apostolopoulou M. & V. Kiortsis, 1973. The Cladocerans of the Aegean sea: occurrence and seasonal variation. *Life in oceans and coastal waters*, 20(2), 137-143.
- Moraitou-Apostolopoulou M., 1974. An ecological approach to the systematic study of planktonic copepods in a polluted area (Saronic Gulf-Greece) *Boll. Pesca, Piscic, Idrobiol.*, 29(1), 30-47.
- Moraitou-Apostolopoulou M., 1978. Le zooplancton superficiel (0-100 cm) du golfe Saronique-Grece a) aspect general de la communautee zooplanctonique. *Thalassographica*, 2(2), 155-172.
- Moraitou-Apostolopoulou M., 1980. The zooplankton communities of the Greek Seas. A. *Greek-American Congress on Oceanography and related problems*. Egina, Greece.
- Moraitou-Apostolopoulou M., 1982. Seasonal variations of fertility and size of three Cladocera of the genus *Evdadne* (*E. Spinifera*, *E. Tergestina* and *E. Nordmanni*) *Rev.int.oceanogr.Med.*, LXVI-LXVII, 109-118.
- Moraitou-Apostolopoulou M., G. Verriopoulos & N. Tsipoura, 1986. Dimensional differentiation between five planktonic organisms living in two areas by different salinity conditions. *Arch.Hydrobiol.*, 105(4), 459-469.
- Moraitou-Apostolopoulou M., 1969. Sur la presence en mer Egee *d'Arietellus pavoninus*, copepode pelagique cite pour la premiere fois en Mediterranee. *Biologia Gallo-Hellenica*, 2(2), 189-191.
- Moraitou-Apostolopoulou M., 1971. Vertical distribution, diurnal and seasonal migration of copepods in Saronic Bay, Greece. *Mar. Biol.*, 9(2), 92-98.
- Moraitou-Apostolopoulou M., 1972. Sex ration in the pelagic copepods *Temora stylifera danna* and *Centropages typicus kroyer*. *J. Exper.Biol.Ecol.*, 8(1), 1-87.
- Moraitou-Apostolopoulou M., 1974. Caracteres ecologique des copepodes de la mer Egee. *Rapp.Comm.int.mer Medit.*, 12(9), 89.
- Moraitou-Apostolopoulou M., 1975. Seasonal variations in length of three copepods in Saronic bay (Greece). *Bool.pesca piscis.idrobiol.*, 30(1), 93-101.
- Moraitou-Apostolopoulou M., 1976. Etudes comparative du zooplancton superficiel (0-100cm) a une zone hautement polluee et une autre relativement prope (golfe Saronique-Grece). *Rapp.comm.int.mer Medit.*, 23(9), 59-60.
- Moraitou-Apostolopoulou M., 1976. Influence de la mer Noire sur la composition de la faune planctonique (copepodes) de la mer Egee. *Acta Adriat.*, 13(6).
- Moraitou-Apostolopoulou M., 1977. Le zooplancton superficiel (0-100m) du golfe Saronique b. les copepodes. *Biologia Gallo-Hellenica*, 7(I-II), 25-43.
- Moraitou-Apostolopoulou M., 1981. Planktonic ostracods collected between 1964 and 1973 from different Greek sea areas. *Vie et Milieu*, 31(2), 171-176.
- Moraitou-Apostolopoulou M., 1976. Influence de la mer Noire sur la composition de la faune planctonique (copepodes) de la mer Egee. *Acta Adriat.*, 18(16), 271-274.
- Moraitou-Apostolopoulou, M. & Kiortsis, V., 1973. The cladocerans of the Aegean Sea: occurrence and Seasonal variation. *Mar.Biol.*, 20: 31-43.
- Moraitou-Apostolopoulou, M. & Kiortsis, V., 1974. Repartition des cladoceres en mer Egee. *Rapp. Comm. int. mer Medit.*, 22(9): 87-88.
- Moraitou-Apostolopoulou, M. & Kiortsis, V., 1977. Notes ecologiques sur les cladoceres marins de Grece. *Rapp. Comm. int. mer Medit.*, 24(10): 113-114.
- Moraitou-Apostolopoulou, M., 1971. The fauna of the pelagic copepods of the Aegean Sea. *Post-Doc. Thesis. Univ. Athens.*

- Moraitou-Apostolopoulou, M., 1972. Occurrence and fluctuation of the pelagic copepods of the Aegean Sea with some notes on their ecology. *Hellenic Oceanography and Limnology* 11, 325-402.
- Moraitou-Apostolopoulou, M., 1974. Ecological characters of copepods of the Aegean Sea. *Rapp. P. -V. Reun.*, 22: 19.
- Moraitou-Apostolopoulou, M., 1985. The zooplankton communities of the eastern Mediterranean (Levantine Basin, Aegean Sea); influence of man-made factors. In: *Mediterranean Marine Ecosystems*, Moraitou-Apostolopoulou M. & Kiortsis V. (Eds), pp. 303-329.
- Moraitou-Apostolopoulou, M., 1985. Zooplankton communities in the Eastern Mediterranean. In: *Mediterranean Marine Ecosystems*, M.Moraitou-Apostolopoulou & V.Kiortsis (Eds.), Plenum Press, New York and London, pp.303-332.
- Moraitou-Apostolopoulou, M., 1986. Zooplankton. In: *Biogeochemical studies of selected pollutants in the open waters of the Mediterranean (Med. Pol. VIII). Addendum. Greek oceanographic cruise 1980. MAP Tech. Rep.*, Series 8:65-66.
- Moraitou-Apostolopoulou, M., G. Verriopoulos & E. Christou, 1984. The importance of temperature and light conditions on the toxicity of oil, oil dispersant and oil/dispersant mixture to *Artemia salina*. *VIIes Journees Etud. Pollutions*, 737-744.
- Moraitou-Apostolopoulou. & M.Vournazou, 1978. Planktonic copepods in the Ionian sea off the coast of Greece M.1969 Variability of some morpho-ecological factors in six pelagic copepods from the Aegean sea. *Life in oceans and coastal waters*,3 (1),1-3
- Moschopoulou, N. & L. Ignatiades, 1994. Field and bioassay studies on the vitamin B sub(12)- phytoplankton-nutrient relationships. *Botanica Marina* Vol. 37, 377: 341-346.
- Moutsopoulos A., Christaki U.& Giannakourou A., 2003. The microbial food web in a coastal area of Saronikos Gulf (Aegean sea) with emphasis in the trophic role of ciliates. In: *Proc., 7th National Symposium on Oceanography and Fisheries*, May 6-9 2003, Hersonissos, Crete.
- Mutlu E., F.Bingel, A.C.Gucu, V.V.Melnikov, U.Niermann, N.A.Astr & V.E.Zaika, 1994. Distribution of the new invader *Mnemiopsis* sp. and the resident *Aurelia aurita* and *Pleurobranchia pileus* populations in the Black Sea in the years 1991-1993. *ICES J.mar.Sci.*,51,407-421.
- Mutlu E.,1996. Target strength of the common jellyfish (*Aurelia aurita*):a preliminary experimental study with a dual-beam acoustic system. *ICES, J Mar.Sci.*, 53,309-311.
- Murina, V.V., 1987. Spatial-time distribution of meroplankton over the Brucker Bank in the Aegean Sea. *Ecologija Morija*, 26:18-22.
- Mutlu, E., Bingel, F., Gücü, A.C., Melnikov, V.V., Neirman, U., Ostr, N.A. and Zaika, V.E. 1994. Distribution of the new invader *Mnemiopsis* sp. and the resident *Aurelia aurita* and *Pleurobranchia pileus* population in the Black Sea in the years 1991-1993. *ICES Journal of Marine Science*, 51: 407-421
- Niermann, U. and A E. Kİdeys, 1995. An assessment of recent phyto- and zooplankton investigations in the Black Sea and planning for future: Report on the Meeting of Marine Biologists in Erdemli, Turkey, 20 February-3 March 1995. TU-Black Sea Project., NATO Science for Stability Program. Institute of Marine Sciences, Middle East Technical University, Erdemli, Turkey, pp: 100
- Noire A.,1981. Evolution du meroplancton dans le milieu portuaire de Constantza. *Rapp. Comm. Int. mer Medit.*,27(7),121-122.
- Obernosterer, I., G. Kraay, E. De Ranitz & G.J. Herndl, 1999. Concentrations of low molecular weight carboxylic acids and carbonyl compounds in the Aegean Sea (Eastern Mediterranean) and the turnover of pyruvate. *Aquatic Microbial Ecology* Vol. 20, 200: 147-156.
- Ozel I. & S.Mavili, 1990. Distribution of the zoea larvae of *Ethusa mascarone* (Herbst,1782) (Brachyura, Decapoda) in the Aegean Sea. *Rapp.Comm.int. mer Medit.*,32(1),224.
- Ozel I. & T.Koray, 1983. Meroplankton of Izmir bay:stomatopod larvae. *Rapp.Comm.int. mer*

- Medit.*, 28(9), 135-136.
- Ozel I., 1985. Stomatopod larvae of the Aegean Sea. *Rapp. Comm. int. Mer Medit.*, 29(9), 255-256
- Ozel I., 1979. Anomuran larvae (Decapoda, Crustacea) in plankton collections from cruises in the gulf of Izmir, Aegean coast of Turkey. *Rapp. Comm. int. Mer Medit.*, 25/26(8), 147-148.
- Ozturk, B. & A.A. Ozturk, 1996. On the biology of the Turkish Straits *System Bulletin de l'Institut Oceanographique, Monaco, no Special 17 CIESM Sci. Ser.*, n° 2, pp: 205-207.
- Pagou K. & L. Ignatiades, 1990. The periodicity of *Gymnodinium breve* (Davis) in Saronikos Gulf, Aegean Sea.. In: E. Graneli *et al.* (eds) "Toxic Marine Phytoplankton", Elsevier, N. York, pp: 206-208.
- Pagou K. & O. Gotsis-Skretas, 1988. A comparative study of phytoplankton in S. Aegean, Levantine and Ionian Seas during March-April 1986. *Rapp. Comm. int. Mer Medit.*, 31(2): 220.
- Pagou K. & O. Gotsis-Skretas, 1990. A comparative study of phytoplankton in S. Aegean, Levantine and Ionian Seas during March-April 1986. *Thalassografica*, 13(1): 13-18.
- Pagou K. & L. Ignatiades, 1988. Phytoplankton seasonality patterns in eutrophic marine coastal waters. *Biological Oceanography*, 5: 229-241.
- Pagou K., 1985. Analysis of the phytoplankton population periodicity in a eutrophic area of Saronikos Gulf (Selinia Bay). *M.Sc. Thesis, Univ. of Athens*, Greece, 150p.
- Pagou K., 1990. Eutrophication problems in Greece. *Water Pollution Research Reports*, 16:97-114.
- Pagou K., 1994. Ecological parameters of phytoplankton related to the eutrophication of the marine environment. *Ph.D. thesis, Univ. of Aegean*, Mytilini, Greece, 356p.
- Pagou K., 1995. Interannual differences on phytoplankton seasonal cycles in Saronikos Gulf. *Rapp. Comm. int. Mer Medit.*, 34 215.
- Pagou K., 2000. A toxic event in Thermaikos Gulf. *Georama*, Vol. 37, May-June 2000 (in Greek).
- Pagou K., 2005. Eutrophication in Hellenic coastal areas In: *State of the Hellenic Marine Environment*. E. Papathanassiou & A. Zenetos (Eds.), pp.311-317, HCMR publ., 360 p.
- Pagou K., Assimakopoulou G., Krasakopoulou E., Pavlidou A. & A. Giannakourou, 1998. Biological production variability in relation to nutrients input and dispersion in a Mediterranean marine coastal environment (Thermaikos Gulf, NW Aegean Sea). *Proc., 2nd Annual Scientific ELOISE Conference*, Huelva (Spain), 30 September-3 October 1998, pp. 105-106.
- Pagou K., Christakis U. & V. Gialamas, 1990. Seasonal variability of some phytoplankton community structure parameters. *Rapp. Comm. Int. Mer Medit.*, 32(1): 204.
- Pagou K., Gotsis-Skretas O. & U. Christaki, 1998. Phytoplankton communities in the Eastern Mediterranean. In: *Int.POEM-BC Symp. On Biological Processes in the Eastern Mediterranean. Interaction with Hydrological Structures*, P. Malanotte-Rizzoli & A.R. Robinson (Eds.), Molitg les Bains (France), 3-5 July 1996, pp.71-73.
- Pagou K., Gotsis-Skretas O. and K. Akepsimaides (1996). Phytoplankton and chlorophyll studies during POEM BC O91 cruise. 6th POEM Scientific Workshop, *POEM Scientific Report #10*, Athens, January 1994. Annex 4: 47.
- Pagou K., Ignatiades L. & N. Moschopoulou, 1986. Urea fluctuations in a eutrophic and an oligotrophic environment. *Rapp. Comm. int. Mer Medit.*, 30(2): 192.
- Pagou K., Krasakopoulou E., Pavlidou A., Assimakopoulou G., Kontoyiannis H. & Anagnostou Ch., 2001. Inner Thermaikos Gulf (NW Aegean Sea, E. Mediterranean): a preliminary approach. In: Dupra V. *et al.* (Eds.) "Coastal and Black Sea regions: carbon, nitrogen and phosphorus fluxes" *LOICZ Reports and Studies*, No 19, i+101 pages, LOICZ, Texel, The Netherlands, pp. 6-11.
- Pagou K., Siokou-Frangou I., Christianidis S., Friligos N. & R. Psyllidou-Giouranovits, 1996.

- Pollution effects on plankton composition and spatial distribution near the seawage outfall of Athens. *MAP Technical Reports Series*, 96: 1-100.
- Pagou K.. 1985. The influence of eutrophication on the periodicity of the phytoplankter *Prochlorococcus micans*. *Rapp. Comm. int. Mer Medit.*, 29(9):97-98.
- Pagou, K. & Assimakopoulou, G., 2001. Spatial and temporal distribution of phytoplanktonic chlorophyll α in the North Aegean Sea. In: *Proc., INTERREG Meeting (N. Aegean System Functioning and Inter-Regional Pollution)*, Kavala, Greece, 28-30 May 2001, p.47.
- Pagou, K. & Gotsis-Skretas, O., 1989. Plankton communities. I. Phytoplankton. In: *Pollution Research and Monitoring Programme in the Aegean and Ionian seas, Report II. 1986-1987*, A. Boussoulengas & A.V. Catsiki (Eds.), NCMR, Athens, June 1989, pp. 128-156.
- Pagou, K. Krasakopoulou, E., Pavlidou, A., Assimakopoulou, G., Kontoyiannis, H & Anagnostou, Ch., 2001. Steady-state N and P budgets for Thermaikos Gulf (NW Aegean Sea) during a wet season. In: *Proc., INTERREG Meeting(N. Aegean System Functioning and Inter-Regional Pollution)*, Kavala, Greece, 28-30 May 2001, p.15.
- Pagou, K., 1986. The effect of pollution on the phytoplankton species diversity. *Rapp. Comm. int. Mer Medit.*, 30(2): 191.
- Pagou, K., 1997. Factors controlling the biological production in a marine area with a strong fresh water and nutrients supply. *Proc., 1st Annual Scientific Eloise Conference, Arcachon, France, 21-23 May 1997.* p.: 47.
- Pagou, K., A. Giannakourou & G. Assimakopoulou, 2000. Planktonic biomass, production and community structure along a trophic gradient in a North Eastern Mediterranean shelf ecosystem. *Dynamics of matter transfer and biogeochemical cycles: their modelling in coastal systems of the Mediterranean Sea: Final Scientific Report.*, Vol. 1, 11: 82-89.
- Pagou, K., Giannakourou A., Assimakopoulou G., Christaki U., Krasakopoulou E., Karayanni H. & Zeri Ch., 2002. Small pulses of nutrients-poor environments favour the development of small cells. Case study: N. Aegean Sea. In: Proc., 2nd Int.Conf. on Oceanography of the Eastern Mediterranean and Black Sea: Similarities and differences of two interconnected basins. 14-18 Oct. 2002, Ankara, Turkey, p. 285.
- Pagou, K., Gotsis-Skretas, O. & Christaki, U., 1996. Phytoplankton communities in the Eastern Mediterranean. In: *Int.POEM-BC Symp. On Biological Processes in the Eastern Mediterranean. Interaction with Hydrological Structures*, P. Malanotte-Rizzoli & A.R. Robinson (Eds.), Molitg les Bains (France), 3-5 July 1996.
- Pagou, K.. M. A. Pancucci-Papadopoulou, B. Galalas & I. Siokou-Frangou, 1990. On the distribution of plankton in the Aegean Sea, using the correspondence analysis. *3rd Hell. Symp. Ocean.Fish.* Athens, May 1990:487-494.
- Panayotidis P. & K. Pagou, 1990. Algal blooms and nutrient conditions in the Greek seas. *Water Pollution Research Reports*, 12: 225-232.
- Panayotidis P., M.A.Pancucci, E.Balopoulos & O.Gotsis-Skretas, 1994. Plankton distribution patterns in a Mediterranean dilution basin: Amvrakikos gulf (Ionian Sea, Greece). *Mar. Ecol.*, 15(2),93-104.
- Pancucci-Papadopoulou M.A. & K. Anagnostaki, 1989. Second oceanographic cruise of R/V AEGAIO (Spring 1986). Zooplankton:Composition and distribution. *Proc. 2nd Hell. Symp. Ocean. Fish.* pp.398-406.
- Pancucci-Papadopoulou, M.A. & I. Slokou-Frangou,1988. Zooplankton composition and distribution up to 3000m depth in the NW Levantine Sea. *Rapp. Comm. int. Mer Medit.*, 31(2):236.
- Pancucci-Papadopoulou, M.A., Siokou-Frangou & K. Anagnostaki, 1989. Plankton Studies in Ionian, Aegean and NW Levantine Seas during POEM Cruises (1985-1987). Zooplankton. *Second Scientific POEM Workshop*. Trieste, Italy, 31 May-4 June1988, pp.71-84.
- Pancucci-Papadopoulou, M-A., I. Siokou-Frangou & E. Christou, 1990. On the distribution of

- deep-water copepod populations. *Rapp. Comm. int. Mer. Medit.*, 32: 199.
- Pancucci-Pappadopoulou, M.A., I. Siokou-Frangou, A. Theocharis & D. Georgopoulos, 1992. Zooplankton vertical distribution in relation to the hydrology in the NW Levantine and SE Aegean Seas (spring 1986). *Oceanologica acta. Paris* Vol. 15, 155: 365-381.
- Papadimitriou D., 1978. Distribution of zooplankton in Thermaikos gulf. *Biologia Gallohellenica*, 8,37-40.
- Papathanassiou E., Christaki U., Christou E. & Milona A., 1993. Preliminary controlled environmental pollution experiments for toxicity of oil and dispersants. In: *Proc., 4th Nat. Symp. on Oceanography and Fisheries Rhodes*, Greece, 26-29 Apr. 1993, 393-396.
- Papathanassiou E., P.Panayotidis & K.Anagnostaki, 1987. Notes on the biology and ecology of the jellyfish *Aurelia aurita* Lam. in Elefsis bay (Saronikos gulf, Greece) P.S.Z.N.I. *Mar. Ecol.*, 8(1),49-58.
- Papathanassiou E.,K.Anagnostaki & S.Barbetseas, 1985. The occurrence of *Pelagia noctiluca* (Cnidaria,Scyphomedusae) (Forskal), in Saronikos gulf (Greece), during 1983-1984 *Rapp.comm.int. mer Medit.*, 29(9),181-182.
- Papathanassiou, E., U. Christaki, E.D. Christou & A. Milona, 1994. *In situ* toxicity of dispersants. Controlled environmental Pollution Experiments. UNEP/FAO: Final Reports on Research Projects dealing with toxicity of pollutants on marine organisms. *MAP Technical Reports Series No 79*, UNEP, Athens, 1994, 91-112.
- Pasteur, R., Berdugo, V. & Kimor, B., 1976. The abundance, composition and seasonal distribution of epizooplankton in coastal and offshore waters of the Eastern mediterranean, *Act.Adriat.*, 18, 55-80.
- Paulmier, G., 1997. Tintinnids (Ciliophora, Oligotrichida, Tintinnina) of the boreal Atlantic, Indian Ocean and some adjacent seas: Mediterranean, Caribbean Sea and Red Sea. Inventory and distribution. Observations found upon loricas. *Ifremer*, 127, pp19.
- Pavlova, E., 1966. Composition and distribution of zooplankton in the Aegean Sea. In: M.Science (Ed.) *Investigation of Plankton in the South seas*, 7, 38-61., Moscow, (in Russian).
- Pavlova, E., 1970. Consommation d'oxygene par certains organismesplanctoniques de la mer Mediterranee. In: *62eme voyage de «Akademik Kovalevskii»: Exped. en mer Medit. en Mai-Juin1968*:86-99. (in Russian).
- Pavlova, E., 1970. Decomposition des organismes planctoniques de la mer Mediterranee. In: *62eme voyage de «Akademik Kovalevskii»: Exped. en mer Medit. en Mai-Juin {968}*: 103-106 (in Russian).
- Pavlova, E.B., 1966. Zooplankton composition and distribution in the Aegean sea. *J. Plankton Res.of the southern seas*. Nauka, 38-60.
- Pesta, O., 1909. Berichte der Kommission fur Erforschung des ostlichenMittelmeeres. Copepoden (I Artenliste 1980). *Denkschr. K. Akad.Wissensch. Math-Natur. Klasse*. Wien, LXXXIV, 28.
- Pesta, O., 1912. Berichte der Kommission fur Ozeanographische Forschungen des ostlichen Mittelmeeres Zoologische Ergebnisse XVIII.Copepoden des ostlichen Mittelmeeres (II und III Artenlist 1891 und1892). *Denkschr. K. Akad. Wissensch. Math-Natur. Klasse*. Wien.LXXXVII, 16.27.
- Pesta, O.. 1926. Wissenschaftliche Forschungsergebnisse ausdem Gebieteder unteren Donau und des Schwarzen Meeres. III. CarcinologischeMitteilungen. *Arch. Hydrobiol.. XVI*. 616.
- Petran A., & E.Ialina, 1981. La biomasse du zooplancton dans le secteur Constantza (mer Noire) pendant les années 1976-1979 *Rapp.Comm.int.mer Medit.*,27(7),117-118
- Petran A.,1971. Sur la repartition qualitative et quantitative des copepodes le long du littoral roumain de la mer Noire. *Rapp.Comm.int.mer Medit.*,20(3),391-394.
- Petran A.,1976. Sur la dynamique du zooplancton des cotes roumaines de la mer Noire, pendant les années 1974-1975. *Cercetari marine,I.R.C.M.*,9,101-115
- Petran A.,1977. Quelques considerations sur la structure des populations du littoral roumain de la mer Noire (zone a petite profondeur). *Rapp. Comm. Int. mer Medit.*,24(10),151-152

- Piccinetti Manfrin G. & C.Piccinetti, 1983-1984. Distribution of *Pelagia noctiluca* in the Adriatic Sea from 1976 to 1983. *Nova Thalassia*, 6, 51-58.
- Pitta P. & Giannakourou A., 1995. Seasonal variability of nano- and microplankton in Heraklion Bay (South Aegean). *Rapp. Comm. int. Mer Médit.*, 34: 215.
- Pitta P. & Giannakourou A., 1998. Significance of planktonic ciliates in the E. Mediterranean: seasonal, spatial, vertical distribution and mixotrophy. In: *3rd MTP-II Workshop on the variability of the Mediterranean Sea*, Rhodos, Greece, 15-17 Oct., pp. 149.
- Pitta P. & Giannakourou A., 2000. Planktonic ciliates in the oligotrophic Eastern Mediterranean: vertical, spatial distribution and mixotrophy. *Mar.Ecol.Prog.Ser.*, 194: 269-282.
- Pitta P. & Karakassis I., 2005. Size distribution in ultraphytoplankton: a comparative analysis of counting methods. *Environ. Monit. Assess.*, 102: 85-101.
- Pitta P., 1997. Research on microbial food webs in Greek waters: ongoing projects and future perspectives. In: *Current Issues in Marine Microbiology*, A CIESM Workshop, Siena-Pontignano, Italy, 2-5 August 1997, pp. 34.
- Pitta P., 2001. Grazing impact of planktonic ciliates on phytoplankton. *XI International Congress of Protozoology ICOP*, Salzburg, 15-19 July, p. 35.
- Pitta P., Divanach P. & Kentouri M., 1995. Nano- and microplankton in Heraklion Bay, Crete: Comparison of coastal waters and mesocosm enclosures assemblages. In: Eleftheriou A., A. Ansell & C.J Smith (Eds.): *The Biology and Ecology of Shallow Coastal Waters*, Proc. 28th EMBS, pp 79-86. Olsen & Olsen, Fredenborg.
- Pitta P., Giannakourou A. & Christaki U., 2001. Grazing impact of planktonic ciliates in the Mediterranean Sea. *Rapp. Comm. int. Mer Médit.*, 36: 205.
- Pitta P., Giannakourou A. & Christaki U., 2001. Planktonic ciliates in the oligotrophic Mediterranean Sea: longitudinal trends of standing stocks, distributions and analysis of food vacuole contents. *Aquat. Microb. Ecol.*, 24: 297-311.
- Pitta P., Giannakourou A., Christaki U., Gregori G. & Van Wambeke F., 2000. Planktonic ciliates in the oligotrophic Mediterranean Sea: Longitudinal trends of standing stocks and analysis of food vacuole contents. In: *Proc., ASLO Aquatic Sciences Meeting (Research across boundaries)*, June 5-9 2000, Copenhagen, Denmark, CS16- p14.
- Pitta P., Giannakourou A., Divanach P. & Kentouri M., 1996. Planktonic food web in large enclosures in the Eastern Mediterranean. From pico- to microplankton. In: *Eutrophication in planktonic ecosystems: Food web dynamics and elemental cycling*. Proc. Int. PELAG Symposium, Aug. 26-30 1996, Helsinki, Finland, p. 30.
- Pitta P., Giannakourou A., Divanach P. & Kentouri M., 1998. Planktonic food web in marine mesocosms in the Eastern Mediterranean: bottom-up or top-down regulation? *Hydrobiologia*, 363: 97-105.
- Pitta P., Giannoulaki M. & Karakassis I., 2005. Changes in the water column in response to aquaculture zones in three coastal areas in the Mediterranean. *Est. Coast. Shelf Sci.*, 65: 501-512.
- Pitta P., Karakassis I., Tsapakis M. & Zivanovic S., 1999. Natural vs. mariculture induced variability in nutrients and plankton in the Eastern Mediterranean. *Hydrobiologia*, 391(1/3): 179-192.
- Pitta P., Stambler N., Tanaka T., Zohary T., Tselepides A. & Rassoulzadegan F., 2005. Biological response to P addition in the Eastern Mediterranean Sea. The microbial race against time. *Deep-Sea Res., II*, 52: 2961-2974.
- Pitta P., Stambler N., Tanaka T., Zohary T., Tselepides A. & Rassoulzadegan F., 2005. Response of the microbial food web to P-addition during a Lagrangian experiment in the Eastern Mediterranean. In: *Proc., ASLO Aquatic Sciences Meeting (A Pilgrimage Through Global Aquatic Sciences)*, June 19-24, 2005, Santiago de Compostela, Spain.

- Pitta P., Tsapakis M., Zivanovic S. & Karakassis I., 1998. Seasonal variability of water column biogeochemistry in three coastal areas in the Ionian and Aegean Seas. *Rapp. Comm. int. Mer Médit.*, 35: 284-285.
- Pitta, P. & A. Giannakourou, 2000. Micro-zooplanktonic communities. Eastern vs. Western Mediterranean. *6th Hellenic Symposium on Oceanography and Fisheries*. Chios, Greece, pp. 259-264.
- Polat, C., Tugrul, S., 1996. Chemical exchange between the Mediterranean and the Black Sea via the Turkish straits. Dynamics of Mediterranean Straits and Channels. *CIESM Science Series no. 2. Bull. Inst. Oceanogr. Monaco, no. special 17*, pp. 167– 186.
- Polat, S. & M.P. Piner, 2002. Nutrients and phytoplankton in the Babadillimani Bight, northeastern Mediterranean coast of Turkey. *Indian J. Mar. Sci.*, Vol. 31, 311: 188-194.
- Polat, S., 2002. The using of cell volumes in estimating of phytoplankton biomass and evaluation of seasonal changes together with other methods in the northeastern Mediterranean (Karatas, Adana). *Su urunleri dergisi/Journal of fisheries and aquatic sciences* Vol. 19, 199: 147-155.
- Porumb F. & T.Onciu, 1981. Donnees concernant la copepod faune des eaux de la Mediterranee du sud. *Rapp. Comm.int.mer Medit.*27(7),175-176.
- Porumb F., T.Onciu, E.Ialina & A.Petran, 1981. Sur les quantites du zooplancton dans les eaux de la Mediterranee du sud. *Rapp. Comm. Int. mer Medit.*, 27(7), 119-120.
- Porumb F.,1980. Variations quantitatives du zooplanton dans les eaux neritiques roumaines de la mer Noire. *Cercetari marine*, I.R.C.M.,13,103-123.
- Porumb F.,1984. Evolution a long terme de la productivite secondaire de l'ecosysteme pelagique de l'ouest de la mer Noire. *Cercetari marine*,I.R.C.M., 17, 85-118.
- Porumb F.I., 1979. Production et productivite des copepodes pelagiques des eaux Roumanies de la mer Noire. *Cercetari marine*,I.R.C.M.,12,141-155.
- Porumb F.I.,1972. Contributions a la connaissance de la dynamique des populations et a la production de copepodes dans les eaux roumaines de la mer Noire. *Cercetari marine*, I.R.C.M.,4,57-94
- Porumb F.I.,1973. Recherches sur le zooplancton au-dessus des fonds rocheux du littoral roumain de la mer Noire (aspect printanier). *Rapp. Comm. Int. mer Medit.*,21(8),533-535
- Porumb F.I.,1981. Sur la biologie des copepodes pelagiques des eaux Roumaines de la mer Noire. *Cercetari marine*,I.R.C.M.,1,129-147
- Price N. B., A. P. Karageorgis, H. Kaberi, C. Zeri, E. Krassakopoulou, F. Voutsinou-Taliadouri, F. Lindsay, G. Assimakopoulou & K. Pagou, 2005. Temporal and spatial variations in the geochemistry of major and minor particulate and selected dissolved elements of the Thermaikos Gulf, northwestern Aegean Sea. *Continental Shelf Research*, 25(19-20): 2428-2455.
- Principi F.,1983-1984. Considerazioni sulla distribuzione dei cladoceri nella zona costiera tra il Po ed Ancona. *Nova Thalassia*, 6, 45-50.
- Psarra, S., 1994. Study of Rhodophyceae, Phaeophyceae and Chlorophyceae in gut contents of the sea-urchin *Paracentrotus lividus* from two stations in the Amvrakikos Gulf area. M.Sc. Thesis, University of Athens, Greece, 87pp. (in Greek).
- Psarra, S., 1999. New and regenerated production in the Aegean Sea. Measurements in contrasting trophic conditions and seasons. In: *MATER: Mass Transfer and Ecosystem Response. MAST III, Mediterranean Targeted Project II. Final Report*. Work Package 4, Task V, Work 411.
- Psarra, S., 2002. Influence du degré d'oligotrophie sur la structure et le fonctionnement de l'échelon primaire de l'écosystème pélagique en Méditerranée orientale (mer Egée). Ph.D. thesis, 174 pp., Université de la Méditerranée (Aix Marseille II).
- Psarra, S., 2005. Adding the limiting nutrient causes a reduction in chl-a and phytoplankton activity: results from the first non-Fe addition experiment in the E. Mediterranean. *ASLO 2005 Conference*, Santiago de Compostella, Spain, 19-24/6/05.

- Psarra, S., Ignatiades, L., Pagou, K., Assimakopoulou, G., Gotsis-Skretas, O., Tselepides, A. & P. Raimbault, 2004. Effects of oligotrophy gradients on pelagic primary production in the Aegean Sea (Eastern Mediterranean) *Rapp. Comm. Int. Mer. Medit.*, 37: 237.
- Psarra, S., Pancucci, M.A., & P. Panayotidis, 1995. Gut contents of the sea urchin *Paracentrotus lividus* in an Ionian embayment (Amvrakikos Gulf - Greece), *Rapp. Comm. int. Mer Medit.*, 34 (1): p. 41.
- Psarra, S., Pitta, P., Polymenakou, P. & Tselepides, T., 2005. Biochemical characteristics of the pelagic ecosystem: Nutrients, chloroplastic pigments, primary production, phytoplankton and microbial community structure. In: *ANREC – WP3 : Oceanographic surveys - Spatial and temporal analysis of physical, chemical and biological parameters, 3rd year Scientific Report*.
- Psarra, S., Polychronaki, T., Drakopoulos, P., Pitta, P. & Tselepides, T., 2003. Chla, cell counts, primary production, POC, PON in the water column. In: *ADIOS-WP3:Task 3.2 - Fast Response Experiment, Final Report*, p.65-72.
- Psarra, S., Tselepides, A. & P. Raimbault, 2000. New and regenerated production in the Aegean Sea. Measurements in contrasting trophic conditions and seasons. ASLO 2000 Conference, Copenhagen, Denmark, 5-9/6/00.
- Psarra, S., Tselepides, A., & Ignatiades, 2000. Primary productivity in the oligotrophic Cretan Sea (NE Mediterranean): seasonal and interannual variability. *Progr. Oceanog.*, 46, (2-4), 187-204.
- Psarra, S., Tselepides, A., & P., Raimbault, 1998. Interranual variability of primary production in the oligotrophic Cretan Sea (Southern Aegean Sea): comparison with seasonal new production rates (winter vs. summer), *3rd Workshop, Mediterranean Targeted Project- MATER*, Rhodos, Greece, 15-17/10/98, p. 135.
- Psarra, S., Tselepides, A., Ignatiades, L. & Dafnomili, E., 1996. Primary production estimates in the Cretan Sea, In: Pelagic-Benthic Coupling in the Oligotrophic Cretan Sea (CINCS), MAST II/MTP I. *Final Report*, September 1996, p. 48-53.
- Psarra, S., Tselepides, A., Ignatiades, L. & E., Dafnomili, 1995. Productivity index in an oligotrophic environment: Cretan Sea - N.E. Mediterranean. Mast II CINCS. 2nd *MAST Days and EUROMAR market*, Sorrento, Italy, 7-10/11/95.
- Psarra, S., Zohary, T., Krom, M.D., Mantoura, R.F.C., Polychronaki, T., Stambler, N., Tanaka, T., Tselepides, A. & Thingstad, T.F., 2005. Phytoplankton response to a Lagrangian phosphate addition in the Levantine Sea (Eastern Mediterranean). *Deep-Sea Res., II*, 52: 2944-2960.
- Psyllidou-Giouranovits R., Satsmadjis, J. & K. Pagou, 1990. Factors affecting nutrients and chlorophyll-a in a hypertrophied Greek gulf. *Rev. Int. Oceanogr. Med.*, Tomes LXXXVII-LXXXVIII: 72-89.
- Pucher-Petkovic T., I.Marasovic, I.Vukadin & L.Stojanoski, 1987. On stock assessment in the Adriatic and the Ionian seas. Report of the fifth technical consultation. *FAO fisheries report No.394*.
- Pucher-Petkovic, T., 1976. Report on the studies concerning the plankton in the eastern part of the Mediterranean, in particular the Adriatic and the Black Sea between 1973 and 1974. *Rapp. P. -V. Reun.P-V*.
- Pucher-Petkovic, T., 1979. Long-term observations of the phytoplankton and primary production in the central Adriatic. *Nova Thalassia* 3, 267-284.
- Pucher-Petkovic, T., 1983. Synthesis of works on plankton of the Eastern Mediterranean published between 1981-1982. *Rapp. P. -V. Reun. CIESM*, Vol. 28, 288: 15-46.
- Pucher-Petkovic, T., M. Zore-Armanda & I. Kacic, 1971. Primary and secondary production of the Middle Adriatic in relation to climatic factors. *Thalassia Jugosl.* Vol. 7, 77: 301-311.
- Purcell J.E. & D.A.Nemazie, 1992. Quantitative feeding ecology of the hydromedusan *Nemopsis bachei* in Chesapeake bay. *Mar. Biol.* ,113,305.
- Quarta S., G.Belmonte, C.Caroppo, P.Pacifico & A.Petraroli, 1992. Zooplankton seasonal trend

- in the Lesina and Varano lagoons (Apulian coast of Italy).Zooplankton in the Lesina and Varano lagoons. *Oebalia*,17,403-404.
- Rabitti, S., Bianchi, F., Boldrin, A., Daros, L., Socal, G., & Totti, C., 1994. Particulate matter and phytoplankton in the Ionian Sea, *Oceanologica Acta* 17,2 97-307.
- Ramfos, A., S. Somarakis, C. Koutsikopoulos & N. Fragopoulou, 2005. Summer mezoplankton distribution in coastal waters of central Greece (eastern Mediterranean). I Hydrology and group composition. *J. Mar. Biol. Ass. UK.*, . 84: 755-764.
- Ramfos, A., S. Somarakis, C. Koutsikopoulos & N. Fragopoulou, 2005. Summer mezoplankton distribution in coastal waters of central Greece (eastern Mediterranean). II Species asssemblages. *J. Mar. Biol. Ass. UK*, 84: 765-774.
- Rampal J., 1971. Les pteropodes thecosomes en Mediterranee. *Rapp.comm.int. mer Medit.*,20(3),419.
- Rampal J.,1977. Caracteristiques morphologiques,ecologiques et biogeographiques des thecosomes de Mediterranee. *Rapp.comm.int. mer Medit.*, 24(10), 143-144.
- Rampal, J., 1975. Les Thecosomes (Mollusques pelagiques). Systematique et evolution. Ecologie et Biogeographie Mediterraneenne. *Doci.Thesis es Sc. Univ. Aix-Marseille*, I, 485pp.
- Regner D., M.Specchi & S.Fonda-Umani, 1985. The composition of the net zooplankton of the western part of the Adriatic sea *Rapp. Comm. Int. mer Medit.*, 29(9), 301-302.
- Regner D.,1975. Sur la distribution saisonniere et la frequence des especes du genre *Clausocalanus* dans l'Adriatique central. *Act.Adriat.*,17(6),1-19.
- Regner D.,1981. The changes in seasonal oscillations of copepods in the central Adriatic. *Rapp.Comm.int.mer Medit.*,27(7),177-179.
- Regner D.,1982. The oscillation of copepod density in the Kastela bay as infuenced by some environmental factors. *Act.Adriat.*,23(1/2),137-151
- Regner D.,1985. Seasonal and multiannual dunamics of copepods in the middle Adriatic. *Act.Adriat.*,26(2),11-99
- Regner D.,1991. Long-term investigations of copepods (zooplankton) in the coastal waters of the eastern middle Adriatic. *Act.Adriat.*,32(2),731-740
- Regner, D., 1988. Composition and spatial distribution of zooplankton at the spawning areas of sardine in the eastern Adriatic. *FAO fisheries report*. 19
- Revelante, N.& M. Gilmartin, 1977. The effects of northern Italian rivers and eastern Mediterranean ingressions on the phytoplankton of the Adriatic Sea. *Hydrobiologia*-240.
- Robarts, R.D., Zohary, T., Waiser, M.J. & Yacobi, Y.Z., 1996. Bacterial abundance, biomass, and production in relation to phytoplankton biomass in the Levantine Basin of the southeastern Mediterranean Sea. *Mar. Ecol. Prog. Ser.* 137, 273– 281.
- Rottini L., 1971. Sifonofori del Mediterraneo orientale:mare di Creta e Jonio *Boll.pesc.pisci.idrobiol.*, 26(1 & 2), 199-208.
- Rottini L.,1986. I sifonofori del medio Adriatico *Boll.pesc.pisci.idrobiol.*, 21, 305-318.
- Rottini. L. & Fabrls, P.M., 1978. Chetognati pelagici pescati duranteuna crociera estiva efTetuata nel Mar Ionio e nell'Egeo. *Oebalia*. IV: 25-36.
- Rottini-Sandrini L.,M.Avian,V.Axiak & A.Malej, 1983-1984. The breeding period of *Pelagia noctiluca* (Scyphozoa,semaeostomeae) in the Adriatic and central Mediterranean Sea. *Nova Thalassia*, 6, 65.
- Rouhiainen, M.I. & Georgieva, L.V., 982. Phytoplankton in the Ionian and Sardinian Seas. *Ekologija Morja* 8, 24-36.
- Rubino F., O.D.Saracino, G.Fanelli, G.Belmonte, F.Boero, 1996. Plankton dynamics in the mar Piccolo of Taranto: A pilot plan.*Giornale botanico Italiano*, 130(4-5-6),1032-1036.
- Ruud J.T., 1939. Euphausiidae. *Rep. Dan. Oceanogr. Expedit Mediterranean and Adjacent Seas 1908-1910*. 11(11).
- Saab, M.A., 1989. Distribution and ecology of tintinnids in the plankton of Lebanese coastal waters (Eastern Mediterranean). *J. Plankton Res.*, Vol. 11, 111: 203-222.

- Salihoglu, I., Saydam, C., Bastrurk, O, Yilmaz, K., Gocmen, D., Hatipoglu, E. & Yilmaz, A., 1990. Transport and distribution of nutrients and chlorophyll- α by mesoscale eddies in the Northeastern Mediterranean. *Mar. Chem.* 29, 375-390.
- Schmidt H.E. & A.Benovic, 1977. Notes on hydromedusa (Cnidaria) from the Adriatic Sea *J.mar.biol.Ass.U.K.*,57,635-640.
- Schmidt, H.E., 1974. Hydromedusae from the eastern Mediterranean Sea. *Isr. J. Zool.*, Vol. 22, 222: 151-167.
- Schmidt, H.E., 1976. Comparison between the Hydriida fauna of the eastern Mediterranean and the Red Sea. *Acta Adriat.*-266.
- Scotto di Carlo B. & A.Ianora, 1983. Atlantis II cruise: copepod assemblages in deep Mediterranean waters. *Rapp.Comm.int.mer Medit.*, 28(9), 149-151.
- Scotto di Carlo,B., Ianora,A., Mazzocchi, M.G. & Scardi, M., 1991. Atlantis II cruise: uniformity of deep copepod assemblages in the Mediterranean Sea. *J.Planckton Res.*, 13(2), 263-277.
- Scoullos, M., S. Alexiou & T. Becacos-Kontos, 1983. Chlorophyll distributions in the polluted Bay of Keratsini, Saronikos Gulf, Greece. *Rapp. P. -V. Reun. Ciesm.*, 28: 77-78.
- Seguin G., 1968. Contribution a l'etude quantitative du zooplancton de Malte Pelagos. *Bull. Inst. Oceanogr. Alger*, 10, 109-132
- Serresi M., 2000. Viral density and virus-to-bacterium ratio in deep-sea sediments of the Eastern Mediterranean. *Appl. Environ. Microbiol* 66: 1857-1861.
- Shiganova T.A., A.E.Kideys, A.C.Gucu, U.Niermann & V.S.khoroshilov, 1998. Changes in species diversity and abundance of the main components of the Black Sea pelagic community during the last decade. In: *NATO TU-Black Sea Project: Ecosystem Modeling as a Management Tool for the Black Sea*, Symposium on Scientific Results, L. Ivanov & T. Oguz (Eds.), Kluwer Academic Publishers, pp.171-188.
- Shiganova T.A., Christou E.D., Bulgakova J.V., Siokou-Frangou I., Zervoudaki S. & Siapatis A., 2004. Distribution and biology of *Mnemiopsis leidyi* in the northern Aegean Sea, and comparison with the indigenous *Bolinopsis vitrea*. In: Dumont H, Shiganova T, Niermann U (Eds.). *Aquatic invasions in the Black, Caspian and Mediterranean Seas*. Kluwer Academic Publishers, 113-135.
- Shiganova T.A., Y.V. Bulgakova, S.P. Volovik, Z.A.Nirzoyan & S.I. Dudkin, 2001. The new invader *Beroe ovata* Mayer 1912 and its effect on the ecosystem in the northeastern Black Sea. *Hydrobiologia*, 451, 187-197.
- Shiganova T.A.,1997. *Mnemiopsis leidyi* abundance in the Black Sea and its impact on the pelagic community In: E.Ozsoy & A.Mikaelyan (Eds.). *Sensitivity to change:Black Sea, Baltic Sea and North Sea*, 117-129.
- Shiganova T.A.,1998. Invasion of the Black sea by the ctenophore *Mnemiopsis leidyi* and recent changes in pelagic community structure. *Fisheries oceanography*, 7(3/4), 305-312.
- Shiganova, T.A., 2002. Role of the alien ctenophores blooms in ecosystems of the southern seas of Europe. *3rd EuroGOOS Conference: Building the European capacity in operational oceanography*. 40 p. 20.
- ShiganovaT.A., Z.A.Mirzoyan, E.A.Studenikina, S.P.Volovik, I.Siokou-Frangou, S.Zervoudaki, E.D.Christou, A.Y.Skirta, H.J.Dumont, 2001. Population development of the invader ctenophore *Mnemiopsis leidyi*, in the Black Sea and in other seas of the Mediterranean basin. *Mar. Biol.*, 139,431-445.
- Shmeleva A.,1963. Zooplankton of S. Adriatic sea. *Sevastopol biological station works*, 16, 137-152.
- Shmeleva A.A.,1965. Weight characteristics of the zooplankton of the Adriatic Sea *Bull.inst.oceanogr.Monaco*, 65(1351), 1-25.
- Shmeleva A.A.,1973. New data on plankton fauna from the east of the Mediterranean Sea. *Rapp.Comm.int.mer Medit.*,21(8),537-539.
- Shmeleva A.A.,1980. Calanoida copepods of the genera *Calocalanus* from the Mediterranean

- Sea. *Journes etud.system. Et biogeogr.Medit.-Cagliari,C.I.E.S.M.*,57.
- Shushkina E.A. & E.I.Musayeva, 1990. Structure of planktonic community of the Black Sea epipelagic zone and its variation caused by invasion of a new ctenophore species *Oceanology*, 30(2),2 25-228.
- Siokou-Frangou I., Shiganova T., Christou ED, Gubanova A., Kamburska L., Konsulov A., Musaeva E., Skryabin V., Khoroshilov V., 2004. Mesozooplankton communities in the Aegean and the Black Seas: A comparative study. *Mar. Biol.* 144: 1111-1126.
- Siokou-Frangou I., Assimakopoulou G., Christaki U., Christou E.D., Giannakourou A., Gotsis-Skretas O., Pagou K., Pitta P., Van Wambeke F. & Zervoudaki S., 2002. Structure of the planktonic food web across the E. Mediterranean Sea. In: *Proc., 2nd Int.Conf. on Oceanography of the Eastern Mediterranean and Black Sea. Similarities and differences of two-interconnected basins*. Ankara, Turkey, Oct. 14-18, p. 116.
- Siokou-Frangou I., Christaki U., Christou E., Giannakourou A., Gotsis O., Ignatiades L., Pagou K., Pitta P. & Psarra S., 2000. Organic carbon partitioning and carbon flow in the plankton community of the Aegean Sea. In: *Proc., ASLO Aquatic Sciences Meeting (Research across Boundaries)*, June 5-9 2000, Santiago de Compostela, Spain CS16-p26.
- Siokou-Frangou I., M.A.Pancucci-Papadopoulou, 1989. Offshore zooplankton in the Aegean sea:literature review. *Thalassographica*,12,13-24.
- Siokou-Frangou I., Pagou K. & V. Gialamas, 1990. Discrimination du plancton influence par la pollution au moyen des analyses multivariees. *Rapp. Comm. Int. Mer Medit.*, 32(1): 213.
- Siokou-Frangou, I. & Anagnostaki K., 1984. Zooplankton of the Mytilini region. *1st Greek Ocean. Fish. Conf.. Athens.* 248-253.
- Siokou-Frangou, I. & E.D. Christou, 1995. Variabilite du cycle annuel di zooplancton dans la baie d' Elefsis (Grece). *Rapp. Comm. int. Mer. Medit.*, 34: 217.
- Siokou-Frangou, I. & M.A. Pancucci-Papadopoulou, 1988. Observations sur le zooplancton de la mer de Rhodes (NO mer du Levant et SE mer Egee). *Rapp. Comm. inf. Mer. Medit.*, 31 (2): 236.
- Siokou-Frangou, I. & M.A. Pancucci-Papadopoulou, 1989. Pollution research and monitoring programme in the Aegean and Ionian Sea (MED-POL). *Report II, NCMR, July 1989:* 157-173.
- Siokou-Frangou, I., 1985. Sur la presence du copepode calanoide *Pseudocalanus elongatus* (Boeck) en mer Egee du Nord, *Rapp.Comm.int.mer Medit.* 29(9), 231-233.
- Siokou-Frangou, I., 1989. Aspects of the vertical distribution of copepods in the Rhodes Sea region. *2nd Hell. Symp. Ocean. Fisfi.*: 391-397.
- Siokou-Frangou, I., Assimakopoulou, G., Christaki, U., Christou, E.D., Giannakourou, A., Gotsis, O., Pagou, K. & Zervoudaki, T., 2001. Planktonic food-web in the N. Aegean Sea. In: *Proc., INTERREG Meeting (N. Aegean System Functioning and Inter-Regional Pollution)*, Kavala, Greece, 28-30 May 2001, p.44.
- Siokou-Frangou, I., Bianchi, M., Christaki, U. Christou, E., Giannakourou, A., Gotsis-Skretas, O., Ignatiades, L., Pagou, K., Pitta, P., Psarra, S., Souvermezoglou, E. & F. Van Wambeke, 1999. Organic carbon partitioning and carbon flow in the plankton community of the Aegean Sea. In: *4th MTP II Workshop (Mass Transfer and Ecosystem Response)*, Perpignan, France, 28-30 Oct., 1999, pp. 139-140.
- Siokou-Frangou, I., Bianchi, M., Christaki, U., Christou, E., Giannakourou, A., Gotsis, O., Ignatiades, L., Pagou, K., Pitta, P., Psarra, S., Souvermezoglou, E., Van Wambeke, F., & Zervakis V., 2002. Carbon flow in the planktonic food web along a gradient of oligotrophy in the Aegean Sea (Mediterranean Sea). *J. Mar. Sys.*, 33-34: 335-353.
- Siokou-Frangou, I., Christou E.D., Fragopoulou N., Mazzocchi M.G., 1997. Mesozooplankton distribution from Sicily to Cyprus (Eastern Mediterranean): II. Copepod assemblages. *Oceanol. Acta*, 20: 537-548.
- Siokou-Frangou, I., Christou, E. & Pancucci-Papadopoulou, M.A., 1994. Deep-sea

- mesozooplankton in the Eastern mediterranean. *7th Deep Sea Biology Symposium*, Crete, Sept. 1994.
- Siokou-Frangou, I., E.D. Christou, N. Fragopoulou & M.G. Mazzocchi, 1997. Mesozooplankton distribution from Sicily to Cyprus (eastern Mediterranean): 2. Copepod assemblages. *Oceanologica Acta*. vol. 20, 200: 537-548.
- Siokou-Frangou, I., Gotsis-Skretas, O., Christou, E.D. & Pagou K., 1999. Plankton characteristics in the NW Levantine Sea and the adjacent areas. In: Malanotte-Rizzoli P. & Eremeev V.N. (Eds.) *The Eastern Mediterranean as a laboratory basin for the assessment of contrasting ecosystems*. Kluwer Academic Publications, pp 205-223.
- Siokou-Frangou,I., M.A. Pancucci-Papadopoulou & E. Christou, 1994. Sur la repartition du zooplankton superficiel des mers entourant la Grece (Printemps 1987). *Biologia Gallo-Hellenica*. 21: 313-330.
- Skaramuca B., 1977. Distribution of *Oikopleura longicauda* and *Oikopleura fusiformis* (appendicularia) in the Adriatic Sea. *Rapp.Comm.int.mer Medit.*,24(10),147-148.
- Somarakis S., P.Drakopoulos, V.Filippou, 2002. Distribution and abundance of larval fish in the northern Aegean sea-eastern Mediterranean in relation to early summer oceanographic conditions. *J. Plankton Res.* 24(4),339-357.
- Specchi M. & S.Fonda-Umani, 1983. Copepods of the gulf of Trieste. *Thalassia Jugoslavica*, 19(1-4),339-341
- Specchi M. & S.Fonda-Umani, 1983. La communauta neritique de la region des embouchures du Po. *Rapp. Comm. Int. mer Medit.*, 28(9), 197-199.
- Specchi M. & S.Fonda-Umani, 1987. Influnza del Po sul sistema pelagico dell'Adriatico. *Bull. Ecol.*,18(2),135-144.
- Specchi M., 1970. Cladoceri raccolti nel bacino nord-occidentale del Aegeo. Crociera estiva NATO 1967. *Boll. Pesca Piscic.*.. 25: 111-115.
- Specchi M., S.Fonda-Umani & C.Piccinetti, 1983. Biomasse instantanee zooplanctonique et ressource pelagique. 3rd technical consultation on stock assessment in the Adriatic. *Mar. Biol.*, 79(2), 209-218.
- Specchi M., S.Fonda-Umani & G.Radini, 1981. Les fluctuations du zooplancton dans une station fixe du golfe de Trieste (Haute Adriatique) *Rapp. Comm. Int. mer Medit.*, 27(7), 97-100.
- Stefanova K., V. Doncheva 2003. State of the zooplankton community in Varna and Beloslav Lakes, Proceeding of Union of Scientists - Varna, 2'2000;1'2001, 50-55, (in Bulgarian).
- Stephensen K., 1918. Amphipoda Hyperiidae. *Rep. Danish Expect. Mediterranean and Adjacent Seas 1908-1910*, II, N.5, D.2: 1-70.
- Stephensen K., 1923. Decapoda Macrura. *Rep. Danish Ocean. Exped.Mediterranean and Adjacent Seas.*.. II, N. 7, D 3: 1-85.
- Stephensen K., 1924. Amphipoda Hyperiidae Pt. 2. *Rep. Danish Oceanogr. Expedit. Mediterranean and Adjacent Seas*, II, N.8.0.4:1-149.
- Stephensen K., 1926. Amphipoda Hyperiidae, Pt. 3. *Rep. Danish Oceanogr. Expedit. Medit. and Adjacent Seas*, II, 9, D. 5:95-252.
- Stergiou, K., Christou, E.D., Georgopoulos, D., Souvermetzoglou & E., Zenetos, A., 1997. Hellenic waters: Physics, chemistry, biology and fisheries. *Ocean. Mar. Biol. Ann. Review* 35: 415-538.
- Stergiou, K.I. & Christou E.D., 1998. Desperately searching for natural eutrophication: The case of the NE Mediterranean. In: Durand M.-H., Cury P., Mendelsohn R., Roy C., Bakun A., Pauly D. (Eds.) *Global versus local changes in upwelling systems*. ORSTOM editions, Paris, pp. 371-389.
- Stirn, J., 1973. Plankton biomass of the Mediterranean during late spring 1969. *Rapp. P. -V. Reun.*, 21: 541-544.
- Stoyanova A., K. Stefanova, 2001. Dynamics in phytoplankton - zooplankton relationship under

- conditions of increased eutrophication. *Comptes rendue de l'Academie Bulgare*, т. 54, №7, 79-82
- Stroganov. A.A., & Rissik. N.S., 1970. Particular circadian rythm of the Mediterranean hyponeuston. In: 62eme voyage de «Akadem. Kovalevskii». *Expedition en mer Mediterranee en Mai-Juin 1968*. 107-114. (in Russian).
- Suthers I.M. & K.T.Frank, 1990. Zooplankton biomass gradient off south-western Nova Scotia: nearshore ctenophore predation or hydrographic separation? *J. Plankton Res.*, 12(4), 831-850.
- Svetlichnya, L.S. ,A.E. Kideys, E.S.Hubareva, S. Besiktepe, M. Isinibilir, 2006 Development and lipid storage in *Calanus euxinus* from the Black and Marmara seas: Variabilities due to habitat conditions. *Journal of Marine Systems* 59: 52–62
- Taning, V.S., 1918. Mediterranean Scopelidae. *Rep. Danish Oceanogr.Expedn. Medit. and Adjacent Seas.* II. 5. A. 7:1-148.
- Tarkan A N, Işinibilir, M, and Tarkan A S, 2005. Seasonal Vauiations of the Zooplankton Composition and Abundance in the Istanbul Strait. *Pakistan Journal of Biological Sciences* 8 (9): 1327-1336
- Tarkan A.N. & H.Erguven, 1988. The main copepod species of Marmara Sea. *Journal of Aquatic Products*, 2(2), 71-84.
- Tarkan A.N. & M.Isinibilir & H.A.Benli, 2000. An observation on distribution of the invader *Mnemiopsis leidyi* (Agassiz,1865) and the resident *Aurelia aurita* (Linn. 1758) along the strait of Istanbul. *Marmara denizi 2000,sempozyumu*, Istanbul,461-467.
- Tarkan A.N., 2000. Abundance and distribution of zooplankton in coastal area of Gokceada island (northern Aegean Sea). *Turkish j. marine science*, 6(3), 201-214.
- Tarkan A.N., E.Morkoc & T.M.Sever, 2000. Dominant zooplankton species of Izmir bay. *Marmara denizi 2000,sempozyumu*,Istanbul, 468-474.
- Tarkan A.N., Isinibilir M. & Erk, M. H., 2001. Dominant zooplankton species in the waters of the northern Gökçeada. Ulusal Ege Adaları 2001 *Toplantisi Bildiriler Kitabi, Turkish Marine Research Foundation*, Istanbul: 59-70.
- Tarkan A.N., M.Isinibilir & R.G. Ogdul, 2000. Mesozooplankton composition Sea of northern Marmara. *Marmara denizi 2000,sempozyumu*,Istanbul, 493-499.
- Tarkan, A.N. 2000. Abundance and distribution of zooplankton in coastal area of Gökçeada Island (Northern Aegean Sea). *Turkish Journal of Marine Science*, 6, 201-214.
- Tarkan, AN. and H. Erguven, 1988. The main copepod species of Marmara Sea. *Istanbul Univ. J. Aquatic Products*, 2: 71-84.
- Tarkan, AN., M Isinibilir and R.G. Ogdul, 2000. Mesozooplankton Composition in the Sea of Northern Marmara In: The Symposium of The Marmara Sea 2000. TUDAV (Eds, Ozturk B., M. Kadioglu and H. Ozturk,) pp: 493-499.
- Tegaccia N. & T.Tegaccia, 1983-1984. Hydrological conditions related to the presence of *Pelagia noctiluca* in the Adriatic Sea. *Nova Thalassia*, 6,59.
- Thingstad T.F., Kress N., Herut B., Zohary T., Pitta P., Psarra S., Polychronaki T., Spyres G., Mantoura F., Tanaka T., Rassoulzadegan F. & Krom M., 2001. Mixed indications of mineral nutrient limitation in a microcosm experiment using eastern Mediterranean surface water. *Rapp. Comm. int. Mer Medit.*, 36: 213.
- Thingstad T.F., Krom M.D., Mantoura R.F.C., Flaten G.A.F., Herut B., Kress N., Law C., Pasternak A., Pitta P., Psarra S., Rassoulzadegan F., Tanaka T., Tselepidis A., Wassmann P., Woodward E.M.S., Wexels-Riiser C., Zodiatis G. & Zohary T., 2005. Nature of phosphorus limitation in the ultraoligotrophic Eastern Mediterranean. *Science*, 309: 1068-1071.
- Trayanova A., K. Stefanova, 2002. An Assessment of zooplankton and macrozoobenthic communities status in the marine ecosystem Beloslav lake - Varna lake. Proceeding of Sixth International Conference on Marine Science and Technology, Varna, 295-301 pp
- Tselepidis A., Psarra, S., Pitta, P., Christaki, U., Drakopoulos, P., Polychronaki, T.,

- Polymenakou, P., Civitarese, P. & Cantoni, C., 2003. A first experience of natural fertilisation of the Mediterranean Sea: the Fast Response Experiment in the Cretan Sea. HCMR & CNR-ITT contribution to question 2: To which extent does atmospheric deposition impact on the biogeochemistry of the Mediterranean Sea? *ADIOS-WP3:Task 3.2 - Fast Response Experiment*, Final Meeting, Athens, 3-5 Dec. 2003.
- Tselepides, A. Pitta, P., Psarra, S., Polychronaki, T., Polymenakou P., Barouta, U., 2003, Cycling of Phosphorus in the Mediterranean(CYCLOPS, Task 4: 2nd experimental cruise involving a single addition of phosphate). *Final Report*, pp.65-72.
- Tselepides, A., Psarra S., Zivanovic S., Papadopoulou K., Smith C., Kallianiotis A., Plaiti W., Polychronaki T., Podaras D., Pantazoglou F., Otegui A., Akoumianaki I., Dafnomili E., Duineveld G., Nieuwland G., Danovaro R., Fabiano M., Chronis G., Stavrakakis S., Lykousis V., Wassmann P., Ypma E., Bett B., Van Wambeke F., Christaki U., Bianchi M., & L., Ignatiades, 1996. Pelagic-benthic coupling in the oligotrophic Cretan Sea (NE Mediterranean). *In: 2nd MTP (Mediterranean Targeted Project) Workshop*, Iraklio, Greece, 1-3 Feb. 1996, pp 2-4.
- Tselepides, A., Psarra, S., Sassalou, V., Stavrakakis, S., Chronis E., G., Ignatiades, L., & A., Eleftheriou, 1994. Primary Production estimates, hydrographic and chemical characteristics, and sedimentary environmental parameters of the Cretan continental shelf and slope: Preliminary results. *In: Pelagic-benthic Coupling In the Oligotrophic Cretan Sea (NE Medit.) - CINCS. In: 1st MTP (Mediterranean Targeted Project) Workshop*, Barcelona, Spain, 21-23 Nov. 1994, p.145-155.
- Tsikhon-Lukanina, Ye.A. and Reznichenko, O.G. 1991. Diet of the ctenophore *Mnemiopsis* in the Black Sea as a function of size. *Oceanology*, 31: 3320-323
- Tugrul, S., C. Polat, O. Basturk and I. Salihoglu, 1999. Nutrient exchanges between the Black Sea and Mediterranean through the Marmara Sea. In: Oceanography of the Eastern Mediterranean and the Black Sea. International Conference 23-26 February 1999. Sci. Rep. Athens. Greece, pp: 200
- Turley, C.M., Bianchi, M., Christaki, U., Conan, P., Harris, J.R., Psarra, S., Ruddy, G., Stutt, E.P., Tselepides, A. & Van Wambeke, F., 2000. Relationship between primary producers and the bacteria in an oligotrophic sea: the Mediterranean and biochemical implications. *Mar. Ecol. Progr. Ser.* 193, 11 – 18.
- Ulutürk, T. 1987. Gökçeada Çevresinin Balık Faunası ve Çevre Fon Radyoaktivitesi. İ.Ü. Su Ürünleri Dergisi, Cilt 1, Sayı 1
- Umani S.F., M.Cocchietto 1988 Tasso di filtrazione e d'ingestione di *Acartia clausi* nel golfo di Trieste. *Atti dell' 8o congresso A.I.O.L.*,383-395.
- Umani S.-F., M.Specchi, G.Radini, & D.del Piero, 1980. La biomassa del plancton della baia di Muggia (Trieste). *Mem.biol.marina e oceanogr.*,10,175-180.
- Umani S.F., PO.Franco, E.Ghirardelli & A.Malej, 1992. Outline of oceanography and the plankton of the Adriatic Sea. *Marine eutrophication and population dynamics*, 347-365.
- Umani S.-F.,1996. Pelagic production and biomass in the Adriatic Sea. *Scientia Marina*, 60(2), 65-77.
- Unal, E., AA Smeleva, J. Zagorodnyaya and A.E. Kideys, 2000. Zooplankton Structure and Copepod Species of the Sea of Marmara in Spring. In: The Symposium of The Marmara Sea 2000. TUDAV (Eds, Ozturk B., M. Kadioglu and H. Ozturk,) pp: 450-460.
- Uysal Z., A. E. Kideys, A. A. Shmeleva, J. A. Zagorodnyaya & A. D. Gubanova 2002. Checklist of copepods (Calanoida and Podoplea) from the northern Levantine basin shelf waters. *Hydrobiologia* 482: 15-21.
- Uysal, Z. and Mutlu E. 1993. Preliminary note on the occurrencek and biometry of ctenophoran *M. leidyi* finally invaded Mersin Bay. *Doğa. Turish Journal of Zoology*, 17: 229-236.
- Uysal, Z., A.E. Kideys, A.A. Shmeleva, J.A. Zagorodnyaya & A.D. Gubanova, 2002. Checklist

- of copepods (Calanoida and Podoplea) from the northern Levantine Basin shelf waters. *Hydrobiologia* Vol. 482, 4822: 15-21.
- Vamvakas C., 1973. Contribution on the taxonomy and ecology of Chaetognaths of the North Aegean Sea. *Hell. Oceanol. Limonol.*.. 11: 631-649.
- Vamvakas C., 1974. Observations faunistiques et écologiques sur les chaetognathes de mer Egée (Partie nord). *Rapp. Comm. int. Mer Medit.*.. 22(9): 115.
- Van Wambeke F., Christaki U. & Gaudy R., 1996. Carbon fluxes from the microbial food web to mesozooplankton, 1996. An approach in the surface layer of a pelagic area (NW Mediterranean Sea). *Oceanologica Acta*, 19: 57-66.
- Van Wambeke F., Christaki U., Bianchi M., Guilhem L. & Sempéré R., 1997. Comparison of heterotrophic bacterial processes in West (Gulf of Lion) and East (Aegean Sea) Mediterranean Sea. In: *Int. Conf. on Progress in Oceanography of the Mediterranean Sea*, Rome, Nov. 17-19, p.363.
- Van Wambeke F., Christaki U., Giannakourou A., Gregori G. & Bianchi M. 1999. Bacterial activities and regulation in the Mediterranean Sea. In: *4th MTP II Workshop (Mass Transfer and Ecosystem Response)*, Perpignan, France, 28-30 Oct., 1999, p.160.
- Van Wambeke F., Christaki U., Giannakourou A., Moutin T. & Souvemerzoglou K., 2002. Longitudinal and vertical trends of bacterial limitation by carbon in the Mediterranean Sea. *Microb. Ecol.*, 43:119-133.
- Van Wambeke, F., Christaki, U., Bianchi, M., Psarra, S. & A. Tselepides, 2000. Phytoplankton - bacteria relationships in the Cretan Sea during March and September 1995. *Prog. Oceanogr.*, 46 (2-4), 205-216.
- Van Wambeke, F., Christaki, U., Bianchi, M., Psarra, S., Tselepides, A., 2000. Heterotrophic bacterial production in the Cretan Sea (NE Mediterranean). *Prog. Oceanogr.* 46, 205– 216.
- Van Wambeke, F., Christaki, U., Giannakourou, A., Claustre, H., & Sempere, R., 2000. Phosphorus and carbon limitation of bacterial activities in the Mediterranean Sea. In: *7th European Marine Microbiology Symposium*, 17-20 Sept. 2000, Noordwijkerhout, Netherlands.
- Van Wambeke, F., Christaki, U., Psarra, S., Bianchi, M., Ignatiades, L. Tselepides, A. & E., Dafnomili, 1996. Phytoplankton-bacteria relationships in the Cretan Sea during March and September 1995. In: *2nd MTP (Mediterranean Targeted Project) Workshop*, Iraklio, Greece, 1-3 Feb. 1996,
- Veini, M. & Kiortsis, V.. 1974. Amphipodes et isopodes planctoniques de mer Egée. *Rapp. Comm. int. Mer Medit.* 22(9):93-95.
- Verriopoulos G., M.Moraitou-Apostolopoulou & S.Hatzinikolaou, 1985. Quantitative and qualitative composition of zooplankton in two areas of Saronicos gulf. *Rapp. Comm. Int. mer Medit.*,29(9),307-308.
- Vidussi, F., H. Claustre, B.B. Manca, A. Luchetta & J.C. Marty, 2001. Phytoplankton pigment distribution in relation to upper thermocline circulation in the eastern Mediterranean Sea during winter. *J. Geophys. Res. (C Oceans)*, Vol. 106, 1066: 19.
- Vilicic, D. & N. Fanuko, 1984. A study of phytoplankton in offshore waters of southern Adriatic, January 1980. *Nova Thalassia*. Vol. 6, 66: 67-82.
- Vilicic, D., 1998. Phytoplankton taxonomy and distribution in the offshore southern Adriatic. *Nat. Croat. J.* Vol. 7, 77: 125-139.
- Vilicic, D., N. Leder, Z. Grzetic & N. Jasprica, 1995. Microphytoplankton in the Strait of Otranto (eastern Mediterranean). *Mar. Biol.* 123: 619-630.
- Vinogradov M.E., E.G.Arashkevich, S.V.Ilchenko, 1992. The ecology of the *Calanus ponticus* population in the deeper layer of its concentration in the Black Sea. *J. Plankton Res.*, 14(3), 447-458.
- Vinogradov M.E., M.V.Flint, E.A.Shushkina, 1985. Vertical distribution of mesoplankton in the open area of the Black Sea. *Mar. Biol.*, 89:95-107.

- Vinogradov M.E., T.A.Shiganova & V.S.Khoroshilov, 1995. The state of the main organisms in a plankton community in the Black Sea in 1993. *Oceanology*, 35(3),387-391.
- Vinogradov M.Ye. & E.A.Shushkina, 1992. Temporal changes in community structure in the Open Black Sea. *Oceanology*, 32(4),485-491.
- Vinogradov M.Ye., E.A.Shushkina & G.G.Nikolayeva, 1993. The state of zoocoene in open areas of the Black sea during late summer 1992. *Oceanology*, 33(3),329-333.
- Vucetic T.,1957. Zooplankton investigations in the sea water lakes "Malo Jezero" and "Veliko Jezero" on the island of Mijet (1952-1953). *Act.Adriat.*, 6(4), 3-45.
- Vucetic T.,1961. Quelques donnees preliminaires sur la repartition verticale du zooplancton dans la baie Veliko Jezero de l'ile de Mijet pendant l'ete. *Rapp. Comm. Int. mer Medit.*,16(2),149-151
- Vucetic T.,1971. Long-term zooplankton standing crop fluctuation in the central Adriatic coastal region. *Thalassia Jugoslavia*,7(1),419-428.
- Vucetic T.,1983. Fluctuation in the distribution of the scyphomedusa *Pelagia noctiluca* (Forskal) in the Adriatic. *Oceanologica Acta*, 207-211.
- Vukanic D.,1977. Quelques donnees concernant les resultats des recherches sur les zooplanctons effectuees dans la baie de Mali Stopn (Adriatic moyenne) en 1971 et 1972. *Rapp. Comm. Int. mer Medit.*, 24(10), 105-106.
- Weber, K., T. Bluszcz, W. Drebing & W. Ernst, 1992. Levels of halogenated hydrocarbons in the eastern Mediterranean. *Fresenius Environ. Bull.*, Vol. 1, 11: 90-95.
- Weikert H., & R.Koppelman, 1996. Mid-water zooplankton profiles from the temperate ocean and partially landlocked seas. A re-evaluation of interoceanic differences. *Oceanologica acta*, 19(6), 657-664.
- Weikert, H. & R. Koppelman, 1996. Mid-water zooplankton profiles from temperate ocean and partially landlocked seas. A re-evaluation of interoceanic differences. *Oceanologica acta*. Vol. 19, 199: 657-664.
- Weikert, H. & Trinkaus,S., 1990. Vertical mesozooplankton abundance and distribution in the deep Eastern Mediterranean Sea SE of Crete. *J.Planckton Res.*, 12, 601-628.
- Weikert, H., 1995. Strong variability of bathypelagic zooplankton at a site in the Levantine Sea- a signal of seasonality in a low-latitude deep-sea? *Rapp.Comm.int.mer Medit*, 34, 218.
- Weikert, H., 1996. Changes in Levantine Deep-Sea Zooplankton. In: Proc., Int.POEM-BC/MTP Symp., Molitg-les Bains, July 1996, 99-101.
- Weikert, H., R. Koppelman & S. Wiegratz, 2001. Evidence of episodic changes in deep-sea mesozooplankton abundance and composition in the Levantine Sea (Eastern Mediterranean). *J. Mar. Syst.*, Vol. 30, 300: 221-239.
- Wiebe P.H. & L.D'abramo, 1972. Distribution of euphausiid assemblages in the Mediterranean sea. *Mar. Biol.*, 15,139-149.
- Yacobi, Y.Z., T. Zohary, N. Kress, A. Hecht, R.D. Robarts, M. Waiser, A.M. Wood & W.K.W. Li, 1995. Chlorophyll distribution throughout the southeastern Mediterranean in relation to the physical structure of the water mass. *J. Mar. Syst*, Vol. 6, 66: 179-190.
- Yannopoulos C. & A.Yannopoulos, 1973. The Saronikos and the s.Evvoikos gulf,Aegean sea,zooplankton standing stock and environmental factors. *Pelagos*, 4(2), 73-81.
- Yannopoulos C. & A.Yannopoulos, 1976. Zooplankton biomass in the Saronikos gulf: winter 1972-1973. *Act.Adriat.*, 18(20), 329-337.
- Yannopoulos C., 1976. The annual variations of the zooplankton standing stock in the Saronikos gulf: Aegean sea.Quantitative result during 1972-1974. *Rapp.Comm.int. mer Medit.*, 23(9), 107-108.
- Yannopoulos C., 1978. The temperature and oxygen lethal limits of *Acartia clausi* Giesbrecht in a polluted marine ecosystem. *Journees etud.pollutions, CIESM*, 359-363.
- Yannopoulos C., 1979. The biological status (Zooplankton,chl-a) of the Thermaikos gulf,Aegean Sea,with special reference to the secondary production. *Rapp.Comm.int. mer Medit.*, 25\26(8),

121-122.

- Yannopoulos C., 1980. Studies on adult euphausiids and the climatic character of the south Aegean Sea. *Journees etud.system. Et biogeogr. Medit.-Cagliari,CIESM*, 65-66.
- Yannopoulos C., 1988. The growth equation of *Temora stylifera*. *Rapp.Comm.int. mer Medit.*, 31(2), 232.
- Yannopoulos C., J.-M.Barrois 1975 Ecologie marine de la region de l'Eubee du nord I. Donnees preliminaires sur le zooplankton et l'ichthyoplankton. *Biologia Gallo-Hellenica*, 5(1), 125-133.
- Yannopoulos C.,1976. The annual regeneration of the Elefsis bay zooplanktonic ecosystem,Saronikos gulf. *Rapp.Comm.int. mer Medit.*, 23(9), 109-111.
- Yannopoulos C.,1977. Zooplankton and phytoplankton standing stocks relations ,in an oligotrophic marine ecosystem. *Rapp.Comm.int. mer Medit.*, 24(10), 91-92.
- Yannopoulos C.,1981. Water temperature, the factor controlling the zooplankton biomass growth in eutrophicated marine ecosystems. *Rapp.comm.int. mer Medit.*, 27(7), 107-109.
- Yannopoulos C.,1985. The potential ecological efficiency in oligotrophic sea-water masses. *Biologia Gallo-Hellenica*, 10, 43-54.
- Yannopoulos, A. & Yannopoulos,C., 1978. Les appendiculaires. (Ecologie marine de la region de l'Eubee du nord). *Biologia Gallo-Hellenica* 7(1-2), 138-141.
- Yannopoulos, C., Vamvakas, C. & Dohrn, P., 1973. Higher trophic levels. Zooplankton. *Rep. Work. Conf. Systems Approach to Eutrophication problems in the Eastern Mediterranean.*, Nafplion, Greece. 10-13, Nov. 1972, Spec. Rep. 53. Ed. J.J. MacIsaac.
- Yilmaz, A. and S. Tugrul. (1998). The effect of cold- and warm-core eddies on the distribution and stoichiometry of dissolved nutrients in the northeastern Mediterranean. *J. Mar. Syst.*, Vol. 16, 166: 253-268.
- Yilmaz, A., D. Ediger, O. Bastuerk & S. Tugrul, 1994. Phytoplankton fluorescence and deep chlorophyll maxima in the northeastern Mediterranean. *Oceanologica acta*. Vol. 17, 177: 69-77.
- Yilmaz, A., Ediger, D., Basturk, O., & Tugrul, S., 1994. Phytoplankton fluorescence and deep chlorophyll maxima in the Northeastern Mediterranean. *Oceanologica Acta*, 17, 69-77.
- Yunev, O.A., Suetin, V., Suslin, V., Moncheva, S., 2002. Long-term changes in the Black Sea surface chlorophyll a according to insitu and modern satellite data— ElsevierOceanographySeries69. Building the European capacity in operational oceanography. In: Dahlin,H., Fleming,N.C., Nittis,K., Petersson,S.E.(Eds.). Proceedings of the Third International Conference on EuroGOOS, 3–6 December 2002, Athens, Greece, pp.168–173
- Yuneva,T.V., Svetlichny,L.S., Yunev,O.A., Georgieva,L.V., Senich-kina,L.G., 1997. Spatial variability of *Calanus euxinus* lipid content in connection with chlorophyll concentration and phytoplankton biomass. *Oceanology* 37(5),745–752
- Yuneva,T.V., Svetlichny,L.S., Yunev,O.A., Romanova,Z.A., Kideys,A.E., Bingel,F., Yilmaz,A., Uysal,Z., Shulman,G.E., 1999. Nutritional condition of female *Calanus euxinus* from cyclonic and anticyclonic regions of the Black Sea. *Mar.Ecol.Prog.Ser.* 189,195–204.
- Zagami, G., F. Badalamenti, L. Guglielmo & A. Manganaro, 1996. Short-term variations of the zooplankton community near the Straits of Messina (north-eastern Sicily): Relationships with the hydrodynamic regime. *Estuarine*, 42: 667-681.
- Zagorodnyaya, Yu. A, A.Y. Kovalaev and S.A. Piontkovski, 1999. Influence of water exchange through the Bosphorus on zooplankton distribution in adjacent regions. In: Oceanography of the Eastern Mediterranean and the Black Sea. International Conference 23-26 February 1999. Sci. Rep. Athens. Greece, pp: 154.
- Zaika, V. E., 1970. Resultats de l'étude des Ciliés planctoniques de la Méditerranée. In: 62eme voyage de «Akad. Kovalevskii»: *Exped. en mer Medit. en Mai-Juin 1968.* (in Russian).
- Zaika, V.E., Pavlova, E. & Kovalev, V., 1970. Nutrition des crustaces planctoniques. In: 62eme voyage de «AkademikKovalevskii»: *Exped. en mer Medit. en Mai-Juin 1968.* 78-85 (in Russian).

- Zaitzev Yu. P, V.Mamaev, 1997. Biological diversity in the Black Sea-A study of change and decline. GEF, Black Sea Environmental series, vol.3, pp. 208.
- Zaitzev Yu., 1992. Recent changes in the trophic structure of the Black Sea. *Fisheries. Oceanography*, 1(2), 180-189.
- Zakaria, H.Y., 2004. Pelagic coelenterates in the waters of the western part of the Egyptian Mediterranean Coast during summer and winter. *Oceanologia*, Vol. 46, 466: 253-268.
- Zavodnik D., 1961 Les resultats des recherches actuelles sur les copepodes des genres *Corycaeus* et *Corycella* dans l'Adriatique. *Rapp.Comm.int.mer Medit.*, 16(2), 203-205.
- Zavodnik, D., 1991. Occurrences of *Pelagia noctiluca* (Scyphozoa) in north Adriatic coastal areas. MAP Technical Report Series No 93, UNEP, Athens, Greece.
- Zerouali, F. & M. Melhaoui, 2002. Pelagic copepods of the Saidia region (Mediterranean coast of Morocco) 1. Qualitative structure and seasonal distribution. *J. Rech. Oceanogr.*, Vol. 27, 277: 67-75.
- Zervakis, V., Assimakopoulou, G., Pagou, K. & D. Georgopoulos, 1999. Spatial and temporal distribution of phytoplanktonic biomass in relation to hydrological structures in North Aegean Sea. In: Proc., 10th Int. Symp. on Environmental Pollution and its Impact on Life in the Mediterranean Region, MESAEP, Alicante, Spain, 2 - 6 October 1999, p. 90.
- Zervakis, V., Pagou, K. Assimakopoulou, G., Gotsis-Skretas, O. Georgopoulos, D., Psarra, S., & L. Ignatiades, 1999. The effect of pycnocline on the vertical distribution of fractionated phytoplankton in the North Aegean Sea. In: 4th MTP II Workshop (Mass Transfer and Ecosystem Response), Perpignan, France, 28-30 Oct., 1999, pp. 148-149.
- Zervoudaki S., Zervakis V., Krasakopoulou E., Assimakopoulou G., Pagou K., Souvermezoglou E. & E. Christou, 1999. Hydrobiological observations at the meeting area of the Mediterranean and the Black seas. In: E. Balopoulos *et al.* (Eds.) Proc., Int. Conf. on Oceanography of the Eastern Mediterranean and Black Sea. Similarities and Differences of two Interconnected Basins. 23-26 Feb. 1999, Athens, Greece, pp. 129-130.
- Zervoudaki, S. & E. Christou, 2000. Distribution of mesozooplankton and copepod egg production in Pegasitikos Gulf during April and May 1999. 6th Hellenic Symposium on Oceanography and Fisheries. Chios Greece May 23-26 2000. pp. 317-321.
- Zervoudaki, S., E.D. Christou, T.G. Nielsen, I. Siokou-Frangou & P. Tisellius, 2002. The grazing impact of copepods in two different environments, N. Aegean Sea (Greece) and Gullmar fjord (Sweden). 1st EFMS Scientific Conference on Oceanographical Aspects for a Sustainable Mediterranean, Athens, Greece.
- Zervoudaki, S., E.D. Christou, T.G. Nielsen, M. Maar, P. Tisellius, I. Siokou-Fragkou & M. Moraitou-Apostolopoulou, 2003. The role of the cyclopoid copepod *Oithona similis* in three different ecosystems: N. Aegean Sea (Greece), Gullmar Fjord (Sweden) and Skagerrak (Denmark). In: 7th Hellenic Symposium on Oceanography and Fisheries. Chersonissos Greece 6-9 May 2003. p. 96-97.
- Zervoudaki, S., I. Siokou-Frangou & E.D. Christou, 2001. Distribution and spatial variability of mesozooplankton in the N. Aegean Sea. In: Proc., INTERREG Meeting (N. Aegean System Functioning and Inter-Regional Pollution), Kavala, Greece, 28-30 May 2001. p. 35.
- Zohary T., Herut B., Krom M.D., Mantoura R.F.C., Psarra S., Pitta P., Rassoulzadegan F., Stambler N., Thingstad T.F., Tanaka T. & Woodward E.M.S. Is the Eastern Mediterranean N & P co-limited in summer? The response of P-supplemented water to added ammonia in an on-board microcosm experiment. *Deep-Sea Res. II*, 52: 3011-3023.
- Zohary, T. & R.D. Robarts, 1992. Bacterial numbers, bacterial production, and heterotrophic nanoplankton abundance in a warm core eddy in the eastern Mediterranean. *Mar.Ecol.Prog.Ser.*, Vol. 84, 844: 133-137.
- Zohary, T., & Robarts, R.D., 1998. Experimental study of microbial P limitation in the eastern Mediterranean. *Limnol. Oceanogr.* 43, 387– 395.

- Zohary, T., B. Herut, M. D. Krom, R. F. C. Mantoura, S. Psarra, P. Pitta, F. Rassoulzadegan, N. Stambler, T. F. Thingstad, T. Tanaka & E. M. S. Woodward, 2005. Co-limitation by N & P: a microcosm experiment: The response of P-supplemented Eastern Mediterranean water to added NH₄⁺. *Deep-Sea Res., II* 52: 3011-3023.
- Zorgani M.E., 1984. The distribution of copepods in the gulf of Gabes. *Bull.mar.res.centre(Libya)*, 5, 37-68.
- Zorgani, M.E., 1985. Qualitative and quantitative analysis of zooplankton in the north-eastern shore of Libya. *Bulletin of the Marine Biology Research Centre* 16-57.